

CONWAY Electric SUV "Cairon C 1.0" (#1)

wave, 27,5", offwhite matt, 9-speed SHIMANO "Cues", 49 cm / L

RRP: €2,999.95

With the Cairon C 1.0, the focus isn't on the adrenaline rush, but on that calm feeling of being able to tackle any trail with ease. Commuting, trips to the market, weekend rides, cobblestones, paved park paths: The ride remains smooth and composed. The Bosch motor takes the strain out of the ride without disrupting the natural flow of riding. Glide smoothly over obstacles with 120 mm of suspension travel and stop safely with hydraulic disc brakes: Combined with its everyday-ready features, it leaves nothing to be desired.

Basic Data

EAN	4251971195004
MSRP:	€2,999.95
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	27.6 kg

Technical Data

Battery capacity	600.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes
Colour designation	offwhite matt
Drive	chain
Drive system	BOSCH Performance Line
Drive version	middle motor

E-bike	yes
Engine power	250 W
Features	electronic sliding aid , fender , suspension fork
Frame height	49 cm
Frame shape	wave
Frame size	L
Gears	9-speed
Gender	ladies
Main colour	white
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Shifting name	9-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	yes
Transmission	1x 9-speed
Travel	120 mm
Type	SUV
Wheel size	27,5 "

Specifications

Battery	BOSCH "Powertube 600", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M3120"
Brake lever	TEKTRO "HD-M3120"
Chain / belt	SHIMANO "CN-LG500"
Chain ring / pulley	MIRANDA "38T w Guard"
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", Q12, 165mm
Derailleur hanger	0347028/3
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor "Performance", 36 V, 250 W
Fender	CURANA "Apollo 75"
Fork	SUNTOUR "XCM32 LOR", Boost, 120 mm
Frame	CONWAY Intube Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front light	CONTEC "Prisma 90 E+"
Front rotor	TEKTRO "TR180-35", 180 mm
Front tire	SCHWALBE "Smart Sam", 60-584
Grips	CONTEC "Tour Wing Eco"
Handlebar	SATORI "Noir", 15° backsweep, 660 mm

Headset	FSA "ZS56-ZS56", Blocklock
Pedals	CONTEC "A-Grind"
Rear carrier	CONWAY "MIK", inkl. Federklappe
Rear derailleur	SHIMANO "Cues RD-U4000", 9-speed
Rear hub	SHIMANO "FH-TC500", 12 x 148mm
Rear light	CONTEC "Z-Stripe"
Rear rotor	TEKTRO "TR180-35", 180 mm
Rear tire	SCHWALBE "Smart Sam", 60-584
Remote	BOSCH "Purion 200"
Rims	CONTEC "Xeta"
Saddle	SELLE ROYAL "Vivo Moderat Ergo"
Seatpost	CONTEC "Pillar", 31,6 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "CUES SL-U4010-9R"
Spokes	Niro
Sprocket / pulley	SHIMANO "CS-LG300-9", 11-46 Z.
Stands	URSUS "MOOI Plus", 40 mm
Stem	SATORI "Hatchback adjustable", 90mm

More product images





