

# CONWAY Electric SUV "Cairon C 1.0" (#1)

**wave, 27,5", offwhite matt, 9-speed SHIMANO "Cues", 41 cm / S**

## RRP: €2,999.95

With the Cairon C 1.0, the focus isn't on the adrenaline rush, but on that calm feeling of being able to tackle any trail with ease. Commuting, trips to the market, weekend rides, cobblestones, paved park paths: The ride remains smooth and composed. The Bosch motor takes the strain out of the ride without disrupting the natural flow of riding. Glide smoothly over obstacles with 120 mm of suspension travel and stop safely with hydraulic disc brakes: Combined with its everyday-ready features, it leaves nothing to be desired.

### Basic Data

| | |
|---|---|
| **EAN** | 4251971194984 |
| **MSRP:** | €2,999.95 |
| **WEEE registration number** | DE92509320 |
| **DST-Code** | 1B01 |
| **SB-Article** | No |
| **Bidex-Code** | 122010 |
| **Fedas-Code** | 155021 |
| **Brand/Supplier** | CONWAY |
| **Unit of measure:** | PIECE |
| **Weight** | 27.6 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 600.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Category E-bike** | 2 |
| **Child Seat Approval** | yes |
| **Colour designation** | offwhite matt |
| **Drive** | chain |
| **Drive system** | BOSCH Performance Line |
| **Drive version** | middle motor |

| | |
|---|---|
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | electronic sliding aid , fender , suspension fork |
| **Frame height** | 41 cm |
| **Frame shape** | wave |
| **Frame size** | S |
| **Gears** | 9-speed |
| **Gender** | ladies |
| **Main colour** | white |
| **Material** | aluminium |
| **Model range** | Cairon |
| **Permissible system weight** | 140 kg |
| **Shifting name** | 9-Gang SHIMANO "Cues" |
| **Shifting type** | derailleur shifting |
| **Support** | up to 25km/h |
| **Trailer Approval** | yes |
| **Transmission** | 1x 9-speed |
| **Travel** | 120 mm |
| **Type** | SUV |
| **Wheel size** | 27,5 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "Powertube 600", Lithium-Ionen mit BMS, HOR w. SOP Pivot |
| **Bottom bracket** | BOSCH |
| **Brake** | TEKTRO "HD-M3120" |
| **Brake lever** | TEKTRO "HD-M3120" |
| **Chain / belt** | SHIMANO "CN-LG500" |
| **Chain ring / pulley** | MIRANDA "38T w Guard" |
| **Charger** | Bosch 2 A, BES3 |
| **Crank** | MIRANDA "Virage", Q12, 165mm |
| **Derailleur hanger** | 0347028/3 |
| **Display** | BOSCH "Purion 200" |
| **Engine** | BOSCH Mittelmotor "Performance", 36 V, 250 W |
| **Fender** | CURANA "Apollo 75" |
| **Fork** | SUNTOUR "XCM32 LOR", Boost, 120 mm |
| **Frame** | CONWAY Intube Bosch, Alu |
| **Front hub** | SHIMANO "HB-TC500", 15 x 110 mm |
| **Front light** | CONTEC "Prisma 90 E+" |
| **Front rotor** | TEKTRO "TR180-35", 180 mm |
| **Front tire** | SCHWALBE "Smart Sam", 60-584 |
| **Grips** | CONTEC "Tour Wing Eco" |
| **Handlebar** | SATORI "Noir", 15° backsweep, 660 mm |

| | |
|---|---|
| **Headset** | FSA "ZS56-ZS56", Blocklock |
| **Pedals** | CONTEC "A-Grind" |
| **Rear carrier** | CONWAY "MIK", inkl. Federklappe |
| **Rear derailleur** | SHIMANO "Cues RD-U4000", 9-speed |
| **Rear hub** | SHIMANO "FH-TC500", 12 x 148mm |
| **Rear light** | CONTEC "Z-Stripe" |
| **Rear rotor** | TEKTRO "TR180-35", 180 mm |
| **Rear tire** | SCHWALBE "Smart Sam", 60-584 |
| **Remote** | BOSCH "Purion 200" |
| **Rims** | CONTEC "Xeta" |
| **Saddle** | SELLE ROYAL "Vivo Moderat Ergo" |
| **Seatpost** | CONTEC "Pillar", 31,6 mm, 350 mm |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SHIMANO "CUES SL-U4010-9R" |
| **Spokes** | Niro |
| **Sprocket / pulley** | SHIMANO "CS-LG300-9", 11-46 Z. |
| **Stands** | URSUS "MOOI Plus", 40 mm |
| **Stem** | SATORI "Hatchback adjustable", 70mm |

## More product images







