

# CONWAY Electric SUV "Cairon C FS 2.0" (#2)

**diamond, 29", black matt / anthracite matt, 9-speed SHIMANO "Cues", 43 cm / M**

## RRP: €3,999.95

On the Cairon C FS 2.0, comfort is defined by a smooth ride. Full suspension with 120 mm of travel front and rear smooths out cobblestones and dirt roads without compromising its SUV-like character. The Bosch Performance Line PX engine delivers powerful, smooth propulsion when the route, luggage, and everyday life all come together. Fenders and Pushing Help remain conveniently integrated, while hydraulic disc brakes provide control. As a result, this Cairon feels mature, confident, and pleasantly composed.

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | 01028380 |
| **EAN** | 4251971196032 |
| **MSRP:** | €3,999.95 |
| **WEEE registration number** | DE92509320 |
| **Fedas-Code** | 154020 |
| **Bidex-Code** | 121010 |
| **DST-Code** | 1E01 |
| **SB-Article** | No |
| **Brand/Supplier** | CONWAY |
| **Unit of measure:** | PIECE |
| **Weight** | 30.2 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 800.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Category E-bike** | 2 |
| **Child Seat Approval** | yes |
| **Colour designation** | black matt / anthracite matt |
| **Drive** | chain |
| **Drive system** | BOSCH Performance Line PX |

| | |
|---|---|
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | damper , electronic sliding aid , fender , suspension fork |
| **Frame height** | 43 cm |
| **Frame shape** | diamond |
| **Frame size** | M |
| **Frame travel** | 120 mm |
| **Gears** | 9-speed |
| **Gender** | gents |
| **Main colour** | black |
| **Material** | aluminium |
| **Model range** | Cairon |
| **Permissible system weight** | 140 kg |
| **Secondary colour** | grey |
| **Shifting name** | 9-Gang SHIMANO "Cues" |
| **Shifting type** | derailleur shifting |
| **Support** | up to 25km/h |
| **Trailer Approval** | yes |
| **Transmission** | 1x 9-speed |
| **Travel** | 120 mm |
| **Type** | SUV |
| **Wheel size** | 29 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot |
| **Bottom bracket** | BOSCH |
| **Brake** | TEKTRO "HD-M3120" |
| **Brake lever** | TEKTRO "HD-M3120" |
| **Chain / belt** | SHIMANO "CN-LG500" |
| **Chain ring / pulley** | MIRANDA "36T w Guard" |
| **Charger** | Bosch 2 A, BES3 |
| **Crank** | MIRANDA "Virage", Q12, 165mm |
| **Damper** | SUNTOUR "RS24 EDGE" |
| **Derailleur hanger** | 0347028/3 |
| **Display** | BOSCH "Purion 200" |
| **Engine** | BOSCH Mittelmotor "Performance PX", 36 V, 250 W |
| **Fender** | CURANA "Apollo 75" |
| **Fork** | SUNTOUR "XCM34 LOR", Boost, 120 mm |
| **Frame** | CONWAY Intube Wave Fully Bosch, Alu |
| **Front hub** | SHIMANO "HB-TC500", 15 x 110 mm |
| **Front light** | CONTEC "Prisma 90 E+" |

| | |
|---|---|
| **Front rotor** | TEKTRO "TR180-35", 180 mm |
| **Front tire** | SCHWALBE "Smart Sam", 60-622 |
| **Grips** | CONTEC "Tour Wing Eco" |
| **Handlebar** | SATORI "Deviant 2", Riserbar, 720 mm |
| **Headset** | FSA "ZS56-ZS56", ICR, Blocklock |
| **Pedals** | CONTEC "A-Grind" |
| **Rear carrier** | CONWAY "MIK", inkl. Federklappe |
| **Rear derailleur** | SHIMANO "Cues RD-U4000", 9-speed |
| **Rear hub** | SHIMANO "FH-TC500", 12 x 148 mm |
| **Rear light** | CONTEC "Z-Stripe" |
| **Rear rotor** | TEKTRO "TR180-35", 180 mm |
| **Rear tire** | SCHWALBE "Smart Sam", 60-622 |
| **Remote** | BOSCH "Purion 200" |
| **Rims** | CONTEC "Xeta" |
| **Saddle** | SELLE ROYAL "Vivo Athletic Ergo" |
| **Seatpost** | LIMOTEC "D1", 31,6 mm, 125 mm |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SHIMANO "CUES SL-U4010-9R" |
| **Spokes** | Niro |
| **Sprocket / pulley** | SHIMANO "CS-LG300-9", 11-46 Z. |
| **Stands** | URSUS "MOOI Plus", 40 mm |
| **Stem** | SATORI "Python ICR adjustable", 65mm |

## More product images






