

CONWAY Electric SUV "Cairon C FS 4.0" (#1)

diamond, 29", desert matt / black matt, 12-speed SHIMANO "XT", 49 cm / XL

RRP: €4,499.95

Whether it’s bumpy cobblestones, rough bike paths, or firm gravel trails on the outskirts of town: The Cairon C FS 4.0 handles any terrain with effortless ease. The full suspension effortlessly smooths out bumps and ensures maximum control without sacrificing the bike’s responsiveness.When the climbs get steeper or a strong headwind sets in, the powerful Bosch Performance Line CX engine delivers strong, reliable thrust. Fenders, Pushing Help, and hydraulic disc brakes all come together to create a bike designed for everyday use, touring, and safety.

Basic Data

Supplier Article Number:	01028562
EAN	4251971196216
MSRP:	€4,499.95
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	29.6 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes
Colour designation	desert matt / black matt
Drive	chain
Drive system	BOSCH Performance Line CX

Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	damper , electronic sliding aid , fender , suspension fork
Frame height	49 cm
Frame shape	diamond
Frame size	XL
Frame travel	120 mm
Gears	12-speed
Gender	gents
Main colour	yellow
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Secondary colour	black
Shifting name	12-Gang SHIMANO "XT"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	yes
Transmission	1x 12-speed
Travel	120 mm
Type	SUV
Wheel size	29 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M3120"
Brake lever	TEKTRO "HD-M3120"
Chain / belt	SHIMANO "CN-M6100"
Chain ring / pulley	MIRANDA "36T w Guard"
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", Q12, 165mm
Damper	SUNTOUR "RS24 EDGE"
Derailleur hanger	0347028/19
Display	BOSCH "Kiox 300"
Engine	BOSCH Mittelmotor "Performance CX", 36 V, 250 W
Fender	CURANA "Apollo 75"
Fork	SUNTOUR "XCM34 Air", Boost, 120 mm
Frame	CONWAY Intube Wave Fully Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front light	CONTEC "Prisma 90 E+"

Front rotor	TEKTRO "TR180-35", 180 mm
Front tire	SCHWALBE "Smart Sam", 60-622
Grips	CONTEC "Tour Wing Eco"
Handlebar	SATORI "Deviant 2", Riserbar, 720 mm
Headset	FSA "ZS56-ZS56", ICR, Blocklock
Pedals	CONTEC "A-Grind"
Rear carrier	CONWAY "MIK", inkl. Federklappe
Rear derailleur	SHIMANO "XT RD-M8200", 12-speed
Rear hub	SHIMANO "FH-TC500", 12 x 148mm
Rear light	CONTEC "Z-Stripe"
Rear rotor	TEKTRO "TR180-35", 180 mm
Rear tire	SCHWALBE "Smart Sam", 60-622
Remote	BOSCH "Mini Remote"
Rims	CONTEC "Xeta"
Saddle	SELLE ROYAL "Vivo Athletic Ergo"
Seatpost	LIMOTEC "D1", 31,6 mm, 150 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "XT SL-M8210-R"
Spokes	Niro
Sprocket / pulley	SHIMANO "CS-M6200-12", 10-51 Z.
Stands	URSUS "MOOI Plus", 40 mm
Stem	SATORI "Python ICR adjustable", 90mm

More product images






