

CONWAY Electric SUV "Cairon C FS 2.0 B" (#2)

wave, 27,5", offwhite, 5-speed SHIMANO "Nexus", 46 cm / M

RRP: €4,499.95

No matter the terrain—you set the pace. The Cairon C FS 2.0 B stays composed even on rough cobblestones or gravel trails. Thanks to its full suspension, you'll enjoy first-class riding comfort on every ride. When the route gets longer, the Bosch Performance Line CX engine gives you a powerful boost—completely clean and quiet thanks to the modern belt drive. A well-designed SUV e-bike with hydraulic disc brakes and a full range of features for maximum peace of mind.

Basic Data

Supplier Article Number:	01028661
EAN	4251971196636
MSRP:	€4,499.95
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	30.9 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes
Colour designation	offwhite
Drive	belt
Drive system	BOSCH Performance Line PX

Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	damper , electronic sliding aid , fender , suspension fork
Frame height	46 cm
Frame shape	wave
Frame size	M
Frame travel	120 mm
Gears	5-speed
Gender	ladies
Main colour	white
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Shifting name	5-Gang SHIMANO "Nexus"
Shifting type	internal gear shifting
Support	up to 25km/h
Trailer Approval	yes
Transmission	1x 5-speed
Travel	120 mm
Type	SUV
Wheel size	27,5 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M3120"
Brake lever	TEKTRO "HD-M3120"
Chain / belt	GATES "CDX Belt", 132 Z.
Chain ring / pulley	GATES "CDX w Guard", 46 Z.
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", Q12, 165mm
Damper	SUNTOUR "RS24 EDGE"
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor "Performance PX", 36 V, 250 W
Fender	CURANA "Apollo 75"
Fork	SUNTOUR "XCM34 LOR", Boost, 120 mm
Frame	CONWAY Intube Wave Fully Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front light	CONTEC "Prisma 90 E+"
Front rotor	TEKTRO "TR180-35", 180 mm
Front tire	SCHWALBE "Smart Sam", 60-584

Grips	CONTEC "Tour Wing Eco"
Handlebar	SATORI "Noir", 15° backsweep, 660 mm
Headset	FSA "ZS56-ZS56", ICR, Blocklock
Pedals	CONTEC "A-Grind"
Rear carrier	CONWAY "MIK", inkl. Federklappe
Rear derailleur	SHIMANO "Nexus SG-C7000-5D", 5-speed
Rear hub	SHIMANO "Nexus SG-C7000-5D"
Rear light	CONTEC "Z-Stripe"
Rear rotor	TEKTRO "TR180-52", 180 mm
Rear tire	SCHWALBE "Smart Sam", 60-584
Remote	BOSCH "Purion 200"
Rims	CONTEC "Xeta"
Saddle	SELLE ROYAL "Vivo Moderat Ergo"
Seatpost	LIMOTEC "D1", 31,6 mm, 75 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C7000-5"
Spokes	Niro
Sprocket / pulley	GATES "CDX", 30 Z.
Stands	URSUS "MOOI Plus", 40 mm
Stem	SATORI "Python ICR adjustable", 90mm