

CONWAY Electric MTB full suspension "Xyron ST 3.0" (#1)

full suspension, 29", black matt / anthracite matt, 10-speed SHIMANO "Cues", 46 cm / XL

RRP: €3,999.95

The Xyron ST 3.0 really comes into its own on varied trails. The Bosch Performance Line CX engine provides powerful assistance when climbs get longer or the terrain loses traction. With 150 mm of travel at the front and rear, the full-suspension system offers plenty of control over root-strewn sections, loose gravel, and challenging forest trails. This results in a balanced riding experience that excels on both long rides and sporty descents.

Basic Data

Supplier Article Number:	01028729
EAN	4251971196896
MSRP:	€3,999.95
Fedas-Code	154050
WEEE registration number	DE92509320
DST-Code	1E01
SB-Article	No
Bidex-Code	121020
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	26.6 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	3
Child Seat Approval	no
Colour designation	black matt / anthracite matt
Drive	chain
Drive system	BOSCH Performance Line CX
Drive version	middle motor

E-bike	yes
Engine power	250 W
Features	damper , electronic sliding aid , suspension fork
Frame height	46 cm
Frame shape	full suspension
Frame size	XL
Frame travel	150 mm
Gears	10-speed
Gender	gents
Main colour	black
Material	aluminium
Model range	Xyron
Permissible system weight	140 kg
Secondary colour	grey
Shifting name	10-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 10-speed
Travel	150 mm
Type	full suspension
Wheel size	29 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M5141", 4/4-Kolben
Brake lever	TEKTRO "HD-M5141"
Chain / belt	SHIMANO "CN-LG500"
Chain ring / pulley	MIRANDA "Virage", 34 Z.
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", 160 mm
Damper	SR SUNTOUR "EdgeX"
Derailleur hanger	0347028/3
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor Gen.5 "Performance CX", 36 V, 250 W
Fork	SR SUNTOUR "XCR36 Air"
Frame	CONWAY Fully Intube Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front rotor	TEKTRO "TR203-45", 203 mm
Front tire	CONTINENTAL "Magnotal Trail soft" 60-622
Grips	CONTEC "Blaze"

Handlebar	LEVEL 9 "Race e35.0", Rise 35mm, 780 mm
Headset	FSA "ZS56-ZS56", Blocklock
Rear derailleur	SHIMANO "CUES RD-U6000", 10speed
Rear hub	SHIMANO "FH-TC500", 12 x 148mm, HG
Rear rotor	TEKTRO "TR203-45", 203 mm
Rear tire	CONTINENTAL "Magnotal Trail soft" 60-622
Remote	BOSCH "Purion 200"
Rims	CONTEC "Xeta"
Saddle	SELLE ROYAL "SRX+", 145mm
Seatpost	LIMOTEC "A1", 31,6 mm, 170 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "CUES SL-U6000-10R"
Spokes	Niro
Sprocket / pulley	SHIMANO "CS-LG300-10", 11-48 Z.
Stem	LEVEL 9 "Race e35.0", 50mm

More product images





