

CONWAY Electric allroad "Nyvon 8.0" (#2)

diamond, 28", black matt / anthracite matt, 10-speed SHIMANO "Cues", 48 cm / M

RRP: €3,999.95

The Nyvon 8.0 feels like a quick ride home that doesn't end at the city limits. The Bosch SX drive stays nimble and provides a tailwind exactly when speed or an incline demand more. A carbon frame and 28-inch wheels combine to create a nimble e-gravel bike for riding on asphalt, gravel, and long back roads. Commuting in the morning, deliberately extending the same route in the evening—that's exactly the spirit of the Nyvon.

Basic Data

Supplier Article Number:	01029347
EAN	4251971197794
MSRP:	€3,999.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	16.4 kg

Technical Data

Battery capacity	400.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	no
Colour designation	black matt / anthracite matt
Drive	chain
Drive system	BOSCH Performance Line SX
Drive version	middle motor

E-bike	yes
Engine power	250 W
Frame height	48 cm
Frame shape	diamond
Frame size	M
Gears	10-speed
Gender	gents
Main colour	black
Material	carbon
Model range	Nyvon
Permissible system weight	130 kg
Secondary colour	grey
Shifting name	10-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 10-speed
Type	allroad
Wheel size	28 "

Specifications

Battery	BOSCH "Compacttube 400", Lithium-Ionen mit BMS, 400 Wh
Battery Lock	ABUS
Bottom bracket	BOSCH
Brake	SHIMANO "Cues U6030"
Brake lever	SHIMANO "Cues U6030"
Chain / belt	SHIMANO "CN-LG500"
Chain ring / pulley	MIRANDA "Steel One Piece", 42 Z. with Chainguard
Charger	Bosch 2 Ah
Crank	FSA "CK-220", 170 mm
Derailleur hanger	0347028/3
Display	BOSCH, "Kiox 300", 4-Stufen, Remote Control, Schiebehilfe
Engine	BOSCH Mittelmotor "Performance SX", 36 V, 250 W
Fork	CARBON "Gravel Disc"
Frame	CONWAY E-Gravel Intube Bosch, Carbon
Front hub	SHIMANO "HB-TC500", 12 x 100 mm
Front light	TRELOCK "Rise 90"
Front rotor	SHIMANO "SM-RT30", 160 mm
Front tire	CONTINENTAL "Terra Adventure", 50-622
Grips	CONTEC "Prestige.Grip"
Handlebar	SATORI "X-Race Aero", 420mm
Headset	ACROS "IS52 / IS52 ICR"

Pedals	CONTEC "A-Grind"
Rear derailleur	SHIMANO "Cues RD-U6000", 10speed
Rear hub	SHIMANO "FH-TC500", 12 x 142 mm
Rear rotor	SHIMANO "SM-RT30", 160 mm
Rear tire	CONTINENTAL "Terra Adventure", 50-622
Remote	BOSCH "BRC3310"
Rims	CONTEC "Atex"
Saddle	SELLE ROYAL "SRX"
Seatpost	CONTEC "Pillar", 27,2 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Cues U6030"
Spokes	Niro
Sprocket / pulley	SHIMANO "CS-LG300", 11-48 Z.
Stem	SATORI "Viper", ICR, 90mm

More product images




