

CONWAY Electric allroad "Nyvon 12.0" (#2)

diamond, 28", galaxy matt, 13-speed SRAM "Rival AXS T-Type", 48 cm / M

RRP: €5,499.95

A soft whir, a quick glance over the shoulder, then off as the traffic light turns green: The Nyvon 12.0 tackles everyday life with a sporty spirit, but without being too serious. With its Bosch SX drive and carbon frame, it's an e-gravel bike for people who see the motor as an extension of their own pace. It stays nimble on asphalt and is open to detours on solid trails. A modern all-road character that's perfect for commuting and training.

Basic Data

Supplier Article Number:	BK27HA5110
EAN	4251971197831
MSRP:	€5,499.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	14 kg

Technical Data

Battery capacity	400.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	no
Colour designation	galaxy matt
Drive	chain
Drive system	BOSCH Performance Line SX
Drive version	middle motor

E-bike	yes
Engine power	250 W
Frame height	48 cm
Frame shape	diamond
Frame size	M
Gears	13-speed
Gender	gents
Main colour	blue
Material	carbon
Model range	Nyvon
Permissible system weight	130 kg
Shifting name	13-Gang SRAM "Rival AXS T-Type"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 13-speed
Type	allroad
Wheel size	28 "

Specifications

Battery	BOSCH "Compacttube 400", Lithium-Ionen mit BMS, 400 Wh
Battery Lock	ABUS
Bottom bracket	BOSCH
Brake	SRAM "Rival AXS"
Brake lever	SRAM "Rival AXS"
Chain / belt	SRAM "Rival"
Chain ring / pulley	MIRANDA "AL One Piece", 42 Z. with Chainguard
Charger	Bosch 2 Ah
Crank	FSA "CK-703", 170 mm
Derailleur hanger	0347028/3
Display	BOSCH, "Kiox 300", 4-Stufen, Remote Control, Schiebehilfe
Engine	BOSCH Mittelmotor "Performance SX", 36 V, 250 W
Fork	CARBON "Gravel Disc"
Frame	CONWAY E-Gravel Intube Bosch, Carbon
Front hub	NEWMEN "Performance 25", 12 x 100 mm
Front light	SUPERNOVA "Mini2"
Front rotor	SRAM "Centerline", 160 mm, Centerlock
Front tire	CONTINENTAL "Terra Adventure", 50-622
Grips	CONTEC "Prestige.Grip"
Handlebar	SATORI "X-Race Aero", 420mm
Headset	ACROS "IS52 / IS52 ICR"
Pedals	CONTEC "A-Grind"

Rear derailleur	SRAM "Rival AXS XPLR T-Type", 13speed
Rear hub	NEWMEN "Performance 25", 12 x 142 mm
Rear rotor	SRAM "Centerline", 160 mm, Centerlock
Rear tire	CONTINENTAL "Terra Adventure", 50-622
Remote	BOSCH "BRC3310"
Rims	NEWMEN "Performance 25"
Saddle	SELLE ROYAL "SRX"
Seatpost	SATORI "Trident", 27,2 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SRAM "Rival AXS"
Sprocket / pulley	SRAM "XG 1351", 10-46 Z.
Stem	SATORI "Viper", ICR, 90mm

More product images




