

CONWAY Gravel bike "Nyvo 10.0" (#2)

diamond, 28", blossom matt / black matt, 12-speed SHIMANO "GRX", 49 cm / L

RRP: €2,399.95

Dust on the bottle, the sun low over the trail, one last short push before the crest: The Nyvo 10.0 thrives on a fast, stripped-down gravel vibe. Carbon provides a stiff, high-quality ride feel, while the 28-inch platform keeps you on track and maintains your pace.Sometimes a training ride, sometimes a commute with an extra loop, sometimes a Sunday ride with no set destination: This Nyvo combines sporty performance with a pleasantly uncomplicated approach. Between training, commuting, and casual rides with wheels, a modern, fast in-between world emerges. Thanks to integrated mounting points, frame bags can be easily attached for multi-day trips.

Basic Data

Supplier Article Number:	01029438
EAN	4251971197923
MSRP:	€2,399.95
Fedas-Code	158012
Bidex-Code	104020
DST-Code	1G00
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	10.3 kg

Technical Data

Brake system	hydraulic disc brake
Child Seat Approval	no
Colour designation	blossom matt / black matt
Drive	chain
E-bike	no
Frame height	49 cm
Frame shape	diamond
Frame size	L
Gears	12-speed

Gender	gents
Main colour	purple
Material	carbon
Model range	Nyvo
Permissible system weight	120 kg
Secondary colour	black
Shifting name	12-Gang SHIMANO "GRX"
Shifting type	derailleur shifting
Trailer Approval	no
Transmission	1x 12-speed
Type	gravel bike
Wheel size	28 "

Specifications

Bottom bracket	SHIMANO "PF SM-BB71"
Brake	SHIMANO "GRX"
Brake lever	SHIMANO "GRX"
Chain / belt	SHIMANO "CN-M6100"
Crankset	SHIMANO "GRX FC-610-1", 172,5 mm
Derailleur hanger	0347028/3
Fork	Gravel "Carbon"
Frame	CONWAY Gravel, Carbon
Front hub	SHIMANO "HB-TC500", 12 x 100 mm
Front rotor	SHIMANO "SM-RT64", 160 mm
Front tire	CONTINENTAL "Terra Adventure", 45-622
Grips	CONTEC "Prestige.Grip"
Handlebar	SATORI "X-Race Aero", 420mm
Headset	ACROS "IS52 / IS52 ICR"
Rear derailleur	SHIMANO "GRX RD-RX822", 12speed
Rear hub	SHIMANO "FH-TC500", 12 x 142 mm
Rear rotor	SHIMANO "SM-RT64", 160 mm
Rear tire	CONTINENTAL "Terra Adventure", 45-622
Rims	CONTEC "Atex"
Saddle	SELLE ROYAL "SRX"
Seatpost	SATORI "Trident", 27,2 mm, 350 mm
Shifting lever	SHIMANO "GRX ST-RX610"
Spokes	Niro
Sprocket / pulley	SHIMANO "CS-M6100-12", 10-51 Z.
Stem	SATORI "Viper", ICR, 90mm

More product images





