

VICTORIA Electric trekking bike "AVYON 11" (#2)

wave, 27,5", onyx grey matt, 9-speed 3x3, 44 cm / XS

RRP: €5,699.00

Basic Data

EAN	4251971199613
MSRP:	€5,699.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.7 kg

Technical Data

Battery capacity	720.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes
Colour designation	onyx grey matt
Drive	belt
Drive system	BOSCH Performance Line CX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	44 cm

Frame shape	wave
Frame size	XS
Gears	9-speed
Gender	unisex
Main colour	grey
Material	aluminium
Max rack load	27 kg
Model range	Avyon
Permissible system weight	140 kg
Shifting name	9-Gang 3x3
Shifting type	internal gear shifting
Support	up to 25km/h
Trailer Approval	yes
Travel	100 mm
Type	SUV
Wheel size	27,5 "

Specifications

Battery	BOSCH "PowerTube 720" 720 Wh
Chain / belt	Gates "CDX" 122T, schwarz
Chain guard	CURANA "C-Lite belt", M+, Avyon, schwarz
Chain ring / pulley	Gates "CDX:Fin Line" 46 Zähne
Charger	BOSCH 4 A, BES3
Crank	FSA 170 mm, ISIS
Display	BOSCH "Kiox 300"
Engine	BOSCH "Performance Line CX", BDU384, max. 120 Nm
Fork	ROCKSHOX "Recon RL" 100 mm, 27,5"
Frame	VICTORIA "Avyon", Aluminium, Bosch BES3, Wave 44 cm
Frame Lock	ABUS "4750XL", gleichschließend mit Akkuschloss
Front brake	MAGURA "LOUISE Elite"
Front fender	CURANA "Orbit", 65 mm, schwarz matt
Front hub	SHIMANO "HB-TC500-15-B", 15 x 110 mm Boost, Center Lock, Steckachse
Front light	Busch + Müller "Lumotec IQ-XS highbeam", 100 Lux
Front rotor	MAGURA "MDR-C", Ø 203 mm, 2.0mm, CL
Front tire	MAXXIS "Metropass", 61-584
Handlebar	satori "Wien", 680mm, 31,8mm, Rise 20mm, Backsweep 15°
Headset	FSA "NO.55R/558"
Other	HTM 2.0 Aufnahme
Pedals	MARWI "SP-828" Victoria Logo, Schwarz
Rear brake	MAGURA "LOUISE Elite"
Rear carrier	Massload, MIK HD
Rear hub	3X3 "Nine", 9-Gang, Leerlauf, Center Lock

Rear light	Büchel "Nano COB", integriert im Schutzblech
Rear mudguard	CURANA "Orbit", 65 mm, schwarz matt, Nano COB
Rear rotor	MAGURA "MDR-S", Ø 180 mm, 2.0mm, 3X3
Rear tire	MAXXIS "Metropass", 61-584
Remote	BOSCH "Mini Remote" 22,2 mm
Rims	RODI "BlackRock 25" 27,5", 25-584, 36 Loch, Schwarz
Saddle	SELLE ROYAL "Explora", Moderate Wide
Seatpost	LIMOTEC "B3", 31,6 mm, absenkbar, Travel 40+60 mm, 345 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	3X3 "E.TR.ADJ" wireless shifter
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	Gates "CDX:BLACK Fin Line", 30 Zähne, 3X3
Stands	URSUS "Invisible Connect"
Stem	satori "Hatchback", 31,8 mm, 90 mm
System Interface	BOSCH "BRC3100"

More product images

