

QiO Electric compact bike "Compact PXSIX+" (#1)

unisex, 20", lead metal glossy, 3X3 SIX, 48 cm

RRP: €5,299.00

The QiO Compact PXSIX+ is designed for anyone looking for a compact e-bike with high load capacity and the power to handle longer distances. It can accommodate riders weighing up to 150 kg. At the same time, the load can be distributed across a Carrier, front rack, or Trailer. This makes the model ideal for daily commuting as well as for shopping, day trips, or tours with extra luggage.The 3X3 SIX hub gear system offers six gears with even gear ratios of 24 percent each. Combined with the Bosch Performance Line PX drive, this results in clearly defined shifting for rides in the city, in the countryside, and on moderate terrain. The 800-Wh battery provides enough capacity for longer rides.On varied routes, the suspension seatpost enhances riding comfort. Hydraulic Magura 4-piston disc brakes and Schwalbe Pick-up tires round out the rugged, durable spec. For late-night rides home, the Briq-S Front Light illuminates the path with 60 lux.

Basic Data

EAN	4251971194786
MSRP:	€5,299.00
Fedas-Code	159021
DST-Code	1A01
WEEE registration number	DE92509320
SB-Article	No
Bidex-Code	123040
Brand/Supplier	QiO
Unit of measure:	PIECE
Weight	29.8 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	yes
Colour designation	lead metal glossy
Drive	belt
Drive system	BOSCH Performance Line PX
Drive version	middle motor
E-bike	yes
Engine power	250 W

Features	chain guard , electronic sliding aid , fender , system carrier
Frame height	48 cm
Frame shape	unisex
Gears	6-speed
Gender	unisex
Main colour	grey
Material	aluminium
Max rack load	27 kg
Model range	Compact
Permissible system weight	180 kg
Shifting name	3X3 SIX
Shifting type	internal gear shifting
Support	up to 25km/h
Trailer Approval	yes
Type	compact bike
Wheel size	20 "

Specifications

Battery	BOSCH "PowerPack 800" 800 Wh
Battery Lock	ABUS "XPlus"
Chain / belt	Gates "CDX" 118T, schwarz
Chain guard	SKS "Chainblade" 42-44T, Bosch BDU34
Chain ring / pulley	Gates "CDX:Fin Line" 50 Zähne
Charger	BOSCH 4 A, BES3
Crank	PROWHEEL "EB03", 170 mm, ISIS
Derailleur hanger	Slider QiO Compact - 3X3
Display	BOSCH "Kiox 500"
Engine	BOSCH "Performance Line PX", max. 90 Nm
Fender	SKS "A 69 R"
Fork	QiO, Aluminium, tapered, Steckachse
Frame	QIO Compact, Bosch Gen. 4, BES3, Aluminium, 48 cm
Front brake	MAGURA "LOUISE"
Front hub	SHIMANO "HB-TC500", 12 x 100 mm, Center Lock, Steckachse
Front light	Busch + Müller "Briq-S E", 60 Lux
Front rotor	MAGURA "MDR-C", Ø 180 mm, 2.0mm, CL
Front tire	SCHWALBE "Pick-Up", 60-406, Reflex
Grips	Herrmans "Nucore Town Wave Edge" 130 mm / 90 mm
Handlebar	ergotec "Lady Town", 620 mm, Ø 31,8 mm, 30° Backsweep
Headset	ACROS ZS66/31,75 OD74 / ZS66/46/OD72, Blocklock
Pedals	MARWI "SP-157 HD" Faltpedale
Rear brake	MAGURA "LOUISE"
Rear carrier	QIO "MIK HD 2.0" für MIK Side

Rear hub	3X3 "Six", 6-Gang, Leerlauf, CenterLock
Rear light	Busch + Müller "Dart E Brex", 80 mm, Bremslicht
Rear rotor	MAGURA "MDR-S", Ø 180 mm, 2.0mm, 3X3
Rear tire	SCHWALBE "Pick-Up", 60-406, Reflex
Remote	BOSCH "LED Controller"
Rims	DT SWISS "U 663", 36 Loch, geöst, Tubeless ready
Saddle	SELLE ROYAL "On", Moderate Wide
Seatpost	by,schulz "G.2 ST", 34,9 x 400 mm, 30 mm Federweg, HARD, 12 mm Offset
Sensor	Pedal pressure measuring im Motor + speed sensor
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	Gates "Commute +" 22 Zähne
Stands	URSUS "Invisible Mount", 20"
Stem	ergotec "SWELL-RE", 80 mm, verstellbar, Safety-Level 6

More product images

