

CONWAY Electric allroad "Nyvon 8.0 C" Mod. 24

diamond, 28", black matt / reflective, 12-speed SRAM "Apex", 48 cm / M

RRP: €4,399.95

Do you want to get around the city quickly, skip the traffic and are looking for a sustainable solution for local transportation? The "NYVON C 8.0" is the perfect choice to become your new daily companion!Thanks to its flat Handlebar, you sit more relaxed and upright and can therefore look over car roofs better, but have the same precise handling as its counterpart with gravel handlebars. The carbon frame offers the same features as the "NYVON C 10.0", all mounting points as well as range extender compatibility and the same perfect riding feel.Here, too, the specially manufactured reflective fork stickers are used to ensure the best lateral visibility - far beyond the STVZO standards. The Bosch SX engine with 55 Nm takes the strain where it counts and accelerates quickly even at traffic lights. So you can get through the city quickly, no matter how hilly or how much traffic there is on the roads.

Basic Data

Supplier Article Number:	B-02830106
MSRP:	€4,399.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	16.9 kg

Technical Data

Battery capacity	400.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	no
Colour designation	black matt / reflective
Condition	leicht gebraucht
Drive	chain
Drive system	BOSCH Performance Line SX

Drive version	middle motor
E-bike	yes
Engine power	250 W
Frame height	48 cm
Frame shape	diamond
Frame size	M
Gears	12-speed
Gender	gents
Main colour	black
Material	carbon
Model range	Nyvon
Paint damage	Down tube
Permissible system weight	130 kg
Refurbished	yes
Secondary colour	silver
Shifting name	12-Gang SRAM "Apex"
Shifting type	derailleur shifting
Special feature	Paint damage
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 12-speed
Type	allroad
Wheel size	28 "

Specifications

Battery	BOSCH "CompactTube 400", 400 Wh
Battery Lock	ABUS "XPlus"
Bottom bracket	BOSCH
Chain / belt	SRAM "Apex"
Chain ring / pulley	MIRANDA, 42 teeth
Charger	BOSCH 2 A
Crank	MIRANDA "Omega", 170 mm, for Bosch Gen. 4, ISIS, Q: 8, black
Derailleur hanger	SRAM "UDH", for Thru Axle, 1 mm thread pitch
Engine	BOSCH "Performance Line SX", max. 60 Nm
Fender	curana "CLite 60"
Fork	Carbon, tapered 1 1/8" - 1.5", flat mount
Frame	Intube Bosch, Gen. 4, BES3, carbon, diamond, 48 cm
Front brake	SRAM "S-300", Flat Mount
Front hub	MAVIC "E-Speedcity 1 CL", 12 x 100 mm
Front light	SUPERNOVA "Mini 2", 100 Lux, 235 Lumen, Handlebar Bracket 31.8 mm
Front rotor	SRAM "Centerline", Ø 160 mm, Centerlock
Front tire	SCHWALBE "G-One Overland 365", 50-622, Reflex

Front wheel	MAVIC "E-Speedcity 1 700", 12 x 100 mm, Thru Axle, Center Lock
Grips	SQlab "70X"
Handlebar	SATORI "Horizon Bow", 720 mm, Ø 31.8 mm, 9° backsweep, rise 7 mm
Headset	ACROS IS52/28.6 / IS52/39.8, ICR
Pedals	VP COMPONENTS "VPE-527"
Rear brake	SRAM "S-300", Flat Mount
Rear carrier	atranvelo "Urban Lite"
Rear derailleur	SRAM "Apex XPLR"
Rear hub	MAVIC "E-Speedcity 1 CL", 12 x 142 mm
Rear light	Busch + Müller "ILU SR"
Rear rotor	SRAM "Centerline", Ø 160 mm, Centerlock
Rear tire	SCHWALBE "G-One Overland 365", 50-622, Reflex
Rear wheel	MAVIC "E-Speedcity 1 700", 12 x 142 mm, Thru Axle, Center Lock
Remote	BOSCH "BRC3300", mini remote
Rims	MAVIC
Saddle	Selle Royal "SRX", Athletic
Seatpost	satori "Trident OF", Ø 27.2 mm, 350 mm long
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SRAM "SX Eagle"
Spokes	MAVIC
Sprocket / pulley	SRAM "PG-1231", 11-44 teeth
Stands	hebie "FIX 40"
Stem	satori "New Viper", 100 mm long, angle -7°, ICR
System Interface	BOSCH "BRC3100"

More product images






