

# CONWAY Electric MTB full suspension "Xyron S 4.0" (#1)

**full suspension, 29", bronze matt / darkgrey matt, 12-speed SRAM "Eagle 90", 44 cm / L**

## RRP: €4,999.95

Our "Xyron S 4.0" combines the versatility of an all-mountain bike with the ruggedness of an enduro bike—perfect for challenging rides and fast descents.The fully integrated 600-Wh battery in the closed down tube creates a clean, sleek look that's not only attractive but also practical. Thanks to fewer components and a quieter drive system, it stands out above all for one thing: less weight! Our "Xyron S 4.0" weighs in at just 23 kg—an outstanding result!The combination with the Bosch mid-drive motor gives you valuable reserves and powerful assistance when you need it—uphill, on long rides, or simply to spend more time off-road.You'll have full control thanks to the SRAM drivetrain and hydraulic disc brakes, no matter how rough the trail gets. The geometry puts you in an active, centered position—for efficient climbing and stable handling on descents. And with the hidden kickstand mount, the bike remains well-thought-out and functional even for everyday use.

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | B-02810849 |
| **MSRP:** | €4,999.95 |
| **Fedas-Code** | 154050 |
| **WEEE registration number** | DE92509320 |
| **DST-Code** | 1E01 |
| **SB-Article** | No |
| **Bidex-Code** | 121020 |
| **Brand/Supplier** | CONWAY |
| **Unit of measure:** | PIECE |
| **Weight** | 23.8 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 600.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Category E-bike** | 4 |
| **Child Seat Approval** | no |
| **Colour designation** | bronze matt / darkgrey matt |
| **Condition** | used |

| | |
|---|---|
| **Drive** | chain |
| **Drive system** | BOSCH Performance Line CX |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | damper , electronic sliding aid , suspension fork |
| **Frame height** | 44 cm |
| **Frame shape** | full suspension |
| **Frame size** | L |
| **Frame travel** | 160 mm |
| **Gears** | 12-speed |
| **Gender** | gents |
| **Main colour** | brown |
| **Material** | aluminium |
| **Model range** | Xyron |
| **Permissible system weight** | 140 kg |
| **Refurbished** | yes |
| **Secondary colour** | grey |
| **Shifting name** | 12-Gang SRAM "Eagle 90" |
| **Shifting type** | derailleur shifting |
| **Special feature** | Used bike |
| **Support** | up to 25km/h |
| **Trailer Approval** | no |
| **Transmission** | 1x 12-speed |
| **Travel** | 160 mm |
| **Type** | full suspension |
| **Wheel size** | 29 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "Powertube 600", Lithium-Ionen mit BMS |
| **Bottom bracket** | BOSCH |
| **Brake** | MAGURA "GUSTAV Elite", 4/4-Kolben |
| **Brake lever** | MAGURA "GUSTAV Elite" |
| **Chain / belt** | SRAM "E70" |
| **Chain ring / pulley** | SRAM "Transmission", 34 Z. |
| **Charger** | Bosch 2 A, BES3 |
| **Crank** | SRAM "E90", 155 mm |
| **Damper** | FOX "Float Rhythm", 2 Pos. |
| **Derailleur hanger** | 0347028/3 |
| **Display** | BOSCH "Kiox 400" |
| **Engine** | BOSCH Mittelmotor Gen.5 "Performance CX", 36 V, 250 W |
| **Fork** | FOX "36 Rhythm" |

| | |
|---|---|
| **Frame** | CONWAY Fully Intube Bosch, Alu |
| **Front hub** | NEWMEN "Basic", 15 x 110 mm |
| **Front rotor** | MAGURA "MDR-S", 203 mm |
| **Front tire** | CONTINENTAL "Magnotal Trail soft" 60-622, black / bronze, TLE |
| **Grips** | SQLAB "70X" |
| **Handlebar** | LEVEL 9 "Race e35.0", Rise 35mm, 780 mm |
| **Headset** | ACROS "ZS56-ZS56", Blocklock, 10mm High Stack |
| **Rear derailleur** | SRAM "E90" |
| **Rear hub** | NEWMEN "Basic", 12 x 148 mm, XD |
| **Rear rotor** | MAGURA "MDR-S", 203 mm |
| **Rear tire** | CONTINENTAL "Magnotal Trail soft" 60-622, black / bronze, TLE |
| **Remote** | BOSCH "Mini Remote" |
| **Rims** | NEWMEN "Performance 30 Base", 30-622 |
| **Saddle** | SELLE ROYAL "SRX+", 145mm |
| **Seatpost** | LIMOTEC "A1", 31,6 mm, 170 mm |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SRAM "E90" |
| **Spokes** | SAPIM |
| **Sprocket / pulley** | SRAM "XS1275", 10-52 Z. |
| **Stem** | LEVEL 9 "Race e35.0", 40mm |

## More product images






