

CONWAY Electric allroad "Nyvon 10.0 C" Mod. 24

diamond, 28", black matt / reflective, 12-speed SRAM "Apex AXS", 51 cm / L

RRP: €4,899.95

The "NYVON C 10.0" is the perfect bike for all commuters, long-distance tourers and sporty trekking riders! Thanks to its great full equipment, you can concentrate fully on the most important thing: The Fahrer itself. And that makes the chassis of the "NYVON" a real experience!Thanks to its high-quality carbon frame and carbon fork, you get a lightweight, reliable bike that is precise and easy to navigate and tracks true to the track. In addition, the carbon fork filters out high-frequency vibrations in the direction of travel in certain parts and thus provides a small comfort benefit. Rounded off by the numerous transport options, you get an absolutely well-rounded bike for all the routes you want to take.You are ideally equipped for everyday use and also when it starts earlier or gets later on tours: With a high-quality lighting system, you not only get a clear view of the road, but you are also better seen all round - thanks to STVZO-compliant equipment and additional reflective fork stickers.

Basic Data

Supplier Article Number:	B-02830112
MSRP:	€4,899.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	16.4 kg

Technical Data

Battery capacity	400.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	black matt / reflective
Condition	stark gebraucht
Drive	chain
Drive system	BOSCH Performance Line SX

Drive version	middle motor
E-bike	yes
Engine power	250 W
Frame height	51 cm
Frame shape	diamond
Frame size	L
Gears	12-speed
Gender	gents
Main colour	black
Material	carbon
Model range	Nyvon
Paint damage	Fork
Permissible system weight	130 kg
Refurbished	yes
Secondary colour	silver
Shifting name	12-Gang SRAM "Apex AXS"
Shifting type	derailleur shifting
Special feature	Paint damage
Support	up to 25km/h
Transmission	1x 12-speed
Type	allroad
Wheel size	28 "

Specifications

Battery	BOSCH "CompactTube 400", 400 Wh
Battery Lock	ABUS "XPlus"
Bottom bracket	BOSCH
Chain / belt	SRAM "Apex"
Chain ring / pulley	MIRANDA, 42 teeth
Charger	BOSCH 2 A
Crank	MIRANDA "Omega", 170 mm, for Bosch Gen. 4, ISIS, Q: 8, black
Derailleur hanger	SRAM "UDH", for Thru Axle, 1 mm thread pitch
Engine	BOSCH "Performance Line SX", max. 60 Nm
Fender	curana "CLite 60"
Fork	Carbon, tapered 1 1/8" - 1.5", flat mount
Frame	Intube Bosch, Gen. 4, BES3, carbon, diamond, 51 cm
Front brake	SRAM "Apex AXS", Flat Mount
Front hub	MAVIC "E-Speedcity 1 CL", 12 x 100 mm
Front light	SUPERNOVA "Mini 2", 100 Lux, 235 Lumen, Handlebar Bracket 31.8 mm
Front rotor	SRAM "Centerline", Ø 160 mm, Centerlock
Front tire	SCHWALBE "G-One Overland 365", 50-622, Reflex
Front wheel	MAVIC "E-Speedcity 1 700", 12 x 100 mm, Thru Axle, Center Lock

Grips	FIZIK "Tempo Microtex Bondcush Soft", black
Handlebar	SATORI "X-Race Aero", 420 mm, Ø 31.8 mm, Reach 70 mm, Drop 122 mm, Flare 16°
Headset	ACROS IS52/28.6 / IS52/39.8, ICR
Pedals	VP COMPONENTS "VPE-527"
Rear brake	SRAM "Apex AXS", Flat Mount
Rear carrier	atranvelo "Urban Lite"
Rear derailleur	SRAM "Apex XPLR AXS"
Rear hub	MAVIC "E-Speedcity 1 CL", 12 x 142 mm
Rear light	Busch + Müller "ILU SR"
Rear rotor	SRAM "Centerline", Ø 160 mm, Centerlock
Rear tire	SCHWALBE "G-One Overland 365", 50-622, Reflex
Rear wheel	MAVIC "E-Speedcity 1 700", 12 x 142 mm, Thru Axle, Center Lock
Remote	BOSCH "Mini Remote"
Rims	MAVIC
Saddle	Selle Royal "SRX", Athletic
Seatpost	satori "Trident OF", Ø 27.2 mm, 350 mm long
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SRAM "Apex AXS"
Spokes	MAVIC
Sprocket / pulley	SRAM "PG-1231", 11-44 teeth
Stands	hebie "FIX 40"
Stem	satori "New Viper", 100 mm long, angle -7°, ICR
System Interface	BOSCH "BRC3100"

More product images






