

VICTORIA Electric folding bike "SCALYO 7" Mod. 24

unisex, 20", fresh olive, 5-speed SHIMANO "Nexus" freewheel

RRP: €3,999.00

Basic Data

EAN	4251971131200
MSRP:	€3,999.00
Fedas-Code	157025
WEEE registration number	DE92509320
Bidex-Code	129010
SB-Article	No
DST-Code	1H01
Brand/Supplier	VICTORIA
Unit of measure:	PIECE

Technical Data

Battery capacity	400.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	fresh olive
Drive	belt
Drive system	BOSCH Performance Line SX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , deep entry , electronic sliding aid , fender , frame lock , system carrier
Folded size (LxHxW)	88x77x38
Frame shape	unisex
Gears	5-speed
Gender	unisex

Main colour	green
Material	aluminium
Model range	Scalyo
Shifting name	5-Gang SHIMANO "Nexus" Leerlauf
Shifting type	internal gear shifting
Support	up to 25km/h
Type	folding bike
Wheel size	20 "

Specifications

Battery	BOSCH "Compact PowerTube 400", 400 Wh
Bottom bracket	BOSCH
Brake	SHIMANO "BR-MT200"
Brake lever	SHIMANO "BL-MT201"
Chain / belt	GATES "CDX", 120 Z. 1320 mm
Chain guard	CURANA "C+ 109/C+ 55"
Chain ring / pulley	GATES "CDX", 55 Z.
Charger	BOSCH 2 Ah
Crank	MIRANDA "PSI" 170 mm
Engine	BOSCH Mittelmotor Gen.4 "Performance Line SX", 36 V, 250 W
Fender	CURANA "Apollo 70", extra matte black
Fork	Aluminium Unicrown
Frame	VICTORIA Scalyo, Bosch, Alu
Frame Lock	CONTEC "Powerloc L AZ"
Front hub	SHIMANO "HB-RM35", 36 Loch, schwarz, Center Lock, Disc
Front light	CONTEC "Dlux 50 E+" 50 Lux
Front rotor	SHIMANO "SM-RT10 M", 180mm, Center-Lock
Front tire	SCHWALBE "Super MOTO-X Perf, GreenGuard, SnakeSkin", 62-406
Grips	ERGOTEC "EG Ambition", 135/92 mm, schwarz
Handlebar	HUMPERT 25,4x560 mm
Handlepost	VICTORIA "Samurai" höhenverstellbar
Headset	VP "A45AC", Ahead, semi-integriert
Pedals	UNION "SP-153", Faltpedal
Rear carrier	MASSLOAD "HA013", 20", MIK-System
Rear hub	SHIMANO "Nexus SG-C7002-5CD" 5-Gg., 5-Loch Aufnahme
Rear light	SPANNINGA "Glow XE", f. MASSLOAD Gepäckträger
Rear rotor	SHIMANO 160mm
Rear tire	SCHWALBE "Super MOTO-X Perf, GreenGuard, SnakeSkin", 62-406
Remote	BOSCH LED-Remote "BRC3600"
Rims	MACH1 "Kargo Disc", 20", 25-406, 36 Loch, schwarz
Saddle	SELLE ROYAL "Orbis Unitech", schwarz
Seatpost	ERGOTEC "Skalar", 33,9x420 mm, schwarz, Level 6

Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C7000-5", 5GG
Spokes	MACH1 Niro, schwarz, 2 mm
Sprocket / pulley	GATES "CDXR28MN5", 28 Z. Shimano Nexus 5GG
Stands	NUVO "NH-KF54SA", Alu, 20", 40 mm, bis 35 kg