


# BRENNABOR Trekking bike "T-62" Mod. 24

**trapeze, 28", concrete grey matt / black matt, 3x10-speed SHIMANO "Deore", 45 cm / S**

## RRP: €1,299.00

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | 12316516-2601 |
| **EAN** | 4251507999847 |
| **MSRP:** | €1,299.00 |
| **Bidex-Code** | 102010 |
| **Fedas-Code** | 155011 |
| **SB-Article** | No |
| **DST-Code** | 1B00 |
| **Brand/Supplier** | BRENNABOR |
| **Unit of measure:** | PIECE |
| **Weight** | 18.2 kg |

### Technical Data

| | |
|---|---|
| **Brake system** | hydraulic disc brake |
| **Colour designation** | concrete grey matt / black matt |
| **Drive** | chain |
| **E-bike** | no |
| **Features** | chain guard , fender , hub dynamo , suspension fork , system carrier |
| **Frame height** | 45 cm |
| **Frame shape** | trapeze |
| **Frame size** | S |
| **Gears** | 30-speed |
| **Gender** | ladies |
| **Main colour** | grey |
| **Material** | aluminium |
| **Model range** | T-62 |
| **Permissible system weight** | 130 kg |

| | |
|---|---|
| **Secondary colour** | black |
| **Shifting name** | 3x10-Gang SHIMANO "Deore" |
| **Shifting type** | derailleur shifting |
| **Transmission** | 3x 10-speed |
| **Travel** | 75 mm |
| **Type** | trekking bike |
| **Wheel size** | 28 " |

## Specifications

| | |
|---|---|
| **Bottom bracket** | SHIMANO "BB-ES300", BSA, 68 mm housing width |
| **Chain / belt** | KMC "e10 Turbo EPT", 10-speed |
| **Chain guard** | Hesling "Duas", 48 teeth |
| **Crankset** | SHIMANO "FC-T521", 170 mm, 26/36/48 teeth |
| **Derailleur hanger** | BRENNABOR for T-40, T-44, T-60, T-62, T-66, from mod. 2022 |
| **Dynamo** | SHIMANO Nabendynamo "DH-C3000" |
| **Fender** | SKS "A 60 S" |
| **Fork** | SR SUNTOUR "SF21-NCX32-E Air LO-DS", 75 mm travel, QR |
| **Frame** | Aluminuim, trapezoid, 45 cm |
| **Front brake** | SHIMANO "BL-MT200 / BR-MT200", Post Mount |
| **Front derailleur** | SHIMANO "Deore FD-T6000", Down Swing |
| **Front hub** | SHIMANO "DH-3D37-QR" |
| **Front light** | CONTEC "DLUX 30 N++", 30 lux |
| **Front rotor** | SHIMANO "SM-RT10", Ø 180 mm, Center Lock |
| **Front tire** | CONTINENTAL "Contact Urban," 50-622, Reflex |
| **Grips** | CONTEC "Tour Wing Eco", 130 mm, black |
| **Handlebar** | 680 mm, Ø 31.8 mm |
| **Headset** | ZS44/28.6 / ZS56/40 |
| **Pedals** | UNION "SP-822" |
| **Rear brake** | SHIMANO "BL-MT200 / BR-MT200" |
| **Rear carrier** | Aluminum |
| **Rear derailleur** | SHIMANO "Deore RD-M6000" |
| **Rear hub** | Center Lock, QR |
| **Rear light** | CONTEC "TL-135" |
| **Rear rotor** | SHIMANO "SM-RT10", Ø 180 mm, Center Lock |
| **Rear tire** | CONTINENTAL "Contact Urban," 50-622, Reflex |
| **Rims** | SCHÜRMANN "YAK DISC 21", 21-622, 32 holes, disc brake, with eyelets, black |
| **Saddle** | Selle Royal "Essenza Plus", Moderate |
| **Seatpost** | ZOOM "SP-C255/ISO-M", Ø 30.4 mm, 350 mm long |
| **Shifting lever** | SHIMANO "Deore SL-M6000-L/SL-M6000-R" |
| **Spokes** | Niro, black |
| **Sprocket / pulley** | SHIMANO "Deore CS-HG50", 11-36 teeth |
| **Stands** | URSUS "R81 - Wave Rear" |

| | |
|---|---|
| **Stem** | ZOOM "TDS-D299N-8/FOV", 1 1/8", 31,8mm handlebar clamp, 75mm long, adjustable, black |