

QiO Electric compact bike "EINS AP-8" Mod. 24

unisex, 20", ice blue matt, 8-speed SHIMANO "Nexus" freewheel, 48 cm

RRP: €3,299.00

If you would like to master your everyday life by bike, are perhaps even considering replacing your car with an e-bike or simply want to try something new, QiO's "EINS AP-8" is the perfect choice. The compact e-bike impresses with its space-saving size and smart Bosch system. The maximum rider weight is 120 kg.The day starts practically and comfortably as soon as you leave your home. The "EINS AP-8" has a low step-through with a Handle so that you can easily pick up the bike and carry it outside. Quickly adjust the seatpost and handlebar height - all without tools using the QR - click the panniers onto the MIK HD system carrier and off you go. With its 20" wheels, the e-bike is agile and maneuverable through narrow streets in the city.The Bosch "Active Line Plus" engine is always with you, always pushing you along harmoniously up to 25 km/h. It draws its energy from the 400 Wh "PowerPack". Thanks to the convenient Seat Stay position, the Battery can be easily removed for charging and connected to the mains. The 8-speed Shimano "Nexus" hub gear is there for fine-tuning the drives and is also particularly low-maintenance.Back home safely in the evening thanks to the bright LED Front Light and Rear Light with stop light function, you can stow the "EINS AP-8" away just as easily as you got it ready for the descent in the morning. Thanks to the "Speedlifter Twist" function, the Stem can be rotated by 90° and the Pedals can be folded down - all to take up as little space as possible.

Basic Data

Supplier Article Number:	01722705
EAN	4251971142527
MSRP:	€3,299.00
Fedas-Code	159021
DST-Code	1A01
WEEE registration number	DE92509320
SB-Article	No
Bidex-Code	123040
Brand/Supplier	QiO
Unit of measure:	PIECE
Weight	26.4 kg

Technical Data

Article type	Electric compact bike
Battery capacity	400.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	ice blue matt

Drive	chain
Drive system	BOSCH Active Line Plus
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , deep entry , electronic sliding aid , fender , system carrier
Frame height	48 cm
Frame shape	unisex
Gears	8-speed
Gender	unisex
Main colour	blue
Material	aluminium
Model range	EINS
Permissible system weight	180 kg
Shifting name	8-Gang SHIMANO "Nexus" Leerlauf
Shifting type	internal gear shifting
Support	up to 25km/h
Type	compact bike
Wheel size	20 "

Specifications

Battery	BOSCH "PowerPack 400", 400 Wh
Battery Lock	CONTEC "PowerLoc"
Chain / belt	KMC "e1 EPT"
Chain guard	hebie "Chainglider", front 44 teeth, rear 16-18 teeth
Chain ring / pulley	STRONGLIGHT, 44 teeth
Charger	BOSCH 4 A
Crank	Stronglight "Magan 3B", 170 mm
Derailleur hanger	QIO Slider Dropout
Display	BOSCH "Intuvia 100", 4-stages, remote control, push aid
Engine	BOSCH "Active Line Plus", max. 50 Nm
Fender	SKS "A 69 R"
Fork	Aluminum, tapered 1 1/4" - 1.5"
Frame	QIO EINS, Bosch Gen. 3, BES3, aluminum, 49.5 cm
Front brake	TRP "C1.8 HD-EU817", Post Mount
Front hub	SHIMANO "Deore HB-M6000," Center Lock, QR
Front light	CONTEC "DLUX 80 E+", 80 lux
Front rotor	TRP "TR-25", Ø 180 mm, Centerlock
Front tire	KENDA "Kwick Drumlin Cargo", 62-406, Reflex
Grips	HERRMANS "Clik Original DD37"
Handlebar	ergotec "Lady Town", 620 mm, Ø 31.8 mm, 30° backsweep
Headset	TOKEN "TK255E-HJ01", IS52/40 / IS52/44

Pedals	UNION "SP-153", foldable
Rear brake	TRP "C1.8 HD-EU817"
Rear carrier	QIO "MIK HD"
Rear hub	SHIMANO "Nexus SG-C6061-8D", 8-speed, Center Lock
Rear light	CONTEC "TL-335 E-Stop", stop light
Rear rotor	TRP "TR-25", Ø 160 mm, Centerlock
Rear tire	KENDA "Kwick Drumlin Cargo", 62-406, Reflex
Remote	BOSCH "BRC3600", LED Remote
Rims	SCHÜRMANN "YAK DISC 25", 25-406, 36 holes, disc brake, black
Saddle	Selle Royal "Nuvola 5060", Relaxed
Seatpost	by,schulz "R.3 P-QR", Ø 34.9 mm, 400 mm long, 25 mm offset
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus, SL-C6000-8"
Spokes	Niro, schwarz
Sprocket / pulley	SHIMANO "SM-GEAR", 16 teeth
Stands	URSUS "R78 - King Mini"
Stem	BY.SCHULZ "Stem SDS", 1 1/8", 31.8 mm handlebar clamps, 70 mm long, angle 7°, black

More product images

