

# CONWAY Gravel bike "GRV 3.0" Mod. 24

**diamond, 28", red metallic / black metallic, 18-speed SHIMANO "Sora" , 49 cm / S**

## RRP: €1,599.95

Are you looking for a bike that’s both sporty and suitable for touring? One that you can use to set off on new adventures this summer? The CONWAY “GRV 3.0” offers you exactly that. As an entry-level model, this gravel bike is solidly equipped with a derailleur and 18 gears (2x9-speed), making it ideal for multi-day rides even on hilly terrain.The lightweight and sturdy aluminum frame provides a moderately sporty riding position. It’s pleasantly compact and agile to handle, yet always smooth enough to stay on course with confidence over long distances. The frame also offers plenty of tire clearance: 40 mm-wide “Terra Trail” tires from CONTINENTAL are mounted on the 28-inch wheels. This provides you with plenty of comfort when riding the gravel tourer over longer distances on rough, uneven terrain.

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | BK23HA2220 |
| **EAN** | 4251507983303 |
| **MSRP:** | €1,599.95 |
| **Fedas-Code** | 158012 |
| **Bidex-Code** | 104020 |
| **DST-Code** | 1G00 |
| **SB-Article** | No |
| **Brand/Supplier** | CONWAY |
| **Unit of measure:** | PIECE |
| **Weight** | 10.8 kg |

### Technical Data

| | |
|---|---|
| **Brake system** | mechanic disc brake |
| **Child Seat Approval** | no |
| **Colour designation** | red metallic / black metallic |
| **Drive** | chain |
| **E-bike** | no |
| **Frame height** | 49 cm |
| **Frame shape** | diamond |
| **Frame size** | S |
| **Gears** | 18-speed |

| | |
|---|---|
| **Gender** | gents |
| **Main colour** | red |
| **Material** | aluminium |
| **Model range** | GRV |
| **Permissible system weight** | 130 kg |
| **Secondary colour** | black |
| **Shifting name** | 18-Gang SHIMANO "Sora" |
| **Shifting type** | derailleur shifting |
| **Trailer Approval** | no |
| **Transmission** | 2x 9-speed |
| **Type** | gravel bike |
| **Wheel size** | 28 " |

## Specifications

| | |
|---|---|
| **Bottom bracket** | SHIMANO "BB-ES300", BSA, 68 mm housing width |
| **Brake lever** | SHIMANO "Sora ST-R300-L / ST-R3000-R" |
| **Chain / belt** | SHIMANO "CN-HG53" |
| **Crankset** | SHIMANO "Sora FC-R345", 170 mm, 34/50 teeth |
| **Derailleur hanger** | CONWAY for GRV aluminum, from mod. 2021 |
| **Fork** | 28", carbon, tapered 1 1/8" - 1.5", 300 mm stem, flat mount, black |
| **Frame** | Aluminum, diamond, 49 cm |
| **Front brake** | TEKTRO "Spyre MD-C610C", front, flat mount |
| **Front derailleur** | SHIMANO "Sora FD-R3000", braze-on base, Down Swing |
| **Front hub** | FORMULA "RX512", 12 x 100 mm, Thru Axle |
| **Front rotor** | TEKTRO "TR160-19", Ø 160 mm, 6-hole |
| **Front tire** | CONTINENTAL "Terra Trail," 40-622 |
| **Grips** | FIZIK "Tempo Microtex Bondcush Soft", black |
| **Handlebar** | CONWAY "GRV Bar", 400 mm, Ø 31.8 mm, Reach 70 mm, Drop 125 mm, Flare 6° |
| **Headset** | GLORY WHEEL IS42/28.6 / IS52/40 |
| **Rear brake** | TEKTRO "Spyre MD-C610C", rear, flat mount |
| **Rear derailleur** | SHIMANO "Sora RD-R3000" |
| **Rear hub** | FORMULA "RX300", 12 x 142 mm, Thru Axle, 6-hole |
| **Rear rotor** | TEKTRO "TR160-19", Ø 160 mm, 6-hole |
| **Rear tire** | CONTINENTAL "Terra Trail," 40-622 |
| **Rims** | MACH1 "Gravel 19", 32 hole, tubeless ready |
| **Saddle** | Selle Royal "1220", Athletic |
| **Seatpost** | CONWAY, Ø 27.2 mm, 350 mm long |
| **Shifting lever** | SHIMANO "Sora ST-R3000" |
| **Spokes** | Niro, schwarz |
| **Sprocket / pulley** | SHIMANO "Alivio CS-HG400", 11-34 teeth |
| **Stem** | CONWAY "GRV A-Head", 1 1/8", 31,8mm handlebar clamp, 80mm long, angle 7°, black |

## More product images

