

BRENNABOR Trekking bike "T-60" Mod. 24

wave, 28", telegrey matt / strong cool grey matt, 3x8-speed SHIMANO "Acera", 45 cm / S

RRP: €1,099.00

The Brennabor T-60 trekking bike is the ideal companion for everyday use, tours, and commuting. The lightweight aluminum frame, combined with the Suspension Fork (75 mm travel), ensures a comfortable ride on both asphalt and gravel.Equipped with the SHIMANO Acera 3x8-speed derailleur, this trekking bike offers reliable and precise gear shifting. Hydraulic disc brakes guarantee safe braking performance in any weather. Thanks to the Hub Dynamo, integrated rack, Chain Guard, and Fenders, the bike is fully suited for everyday use.With 28-inch wheels and a maximum system weight of 130 kg, the Brennabor T-60 is perfect for city riding and longer tours.

Basic Data

Supplier Article Number:	12316515-2601
EAN	4251507999786
MSRP:	€1,099.00
Bidex-Code	102010
Fedas-Code	155011
SB-Article	No
DST-Code	1B00
Brand/Supplier	BRENNABOR
Unit of measure:	PIECE
Weight	18.3 kg

Technical Data

Brake system	hydraulic disc brake
Colour designation	telegrey matt / strong cool grey matt
Drive	chain
E-bike	no
Features	chain guard , fender , hub dynamo , suspension fork , system carrier
Frame height	45 cm
Frame shape	wave
Frame size	S
Gears	24-speed
Gender	ladies

Main colour	grey
Material	aluminium
Model range	T-60
Permissible system weight	130 kg
Secondary colour	grey
Shifting name	3x8-Gang SHIMANO "Acera"
Shifting type	derailleur shifting
Transmission	3x 8-speed
Travel	75 mm
Type	trekking bike
Wheel size	28 "

Specifications

Bottom bracket	BSA, 70 mm housing width
Chain / belt	KMC "Z8", 8-speed
Chain guard	SKS "Chainblade", Ø 19.9 cm
Crankset	SHIMANO "FC-TY501-2", 170 mm, 30/46 teeth
Derailleur hanger	BRENNABOR for T-40, T-44, T-60, T-62, T-66, from mod. 2022
Dynamo	SHIMANO Nabendynamo "DH-C3000"
Fender	SKS "A 56"
Fork	SR SUNTOUR "SF21-NCX32-E Air LO-DS", 75 mm travel, QR
Frame	Aluminum, Wave, 50 cm
Front brake	SHIMANO "Altus ST-EF505 / BR-MT200", Post Mount, 2x
Front derailleur	SHIMANO "Tourney FD-TY606-L", Swing
Front hub	SHIMANO "DH-3D37-QR"
Front light	CONTEC "DLUX 30 N++", 30 lux
Front rotor	SHIMANO "SM-RT10", Ø 180 mm, Center Lock
Front tire	CONTINENTAL "Contact Urban," 50-622, Reflex
Grips	CONTEC "Tour Wing Eco", 130 mm, black
Handlebar	680 mm, Ø 31.8 mm
Headset	ZS44/28.6 / ZS56/40
Pedals	UNION "SP-822"
Rear brake	SHIMANO "Altus ST-EF505 / BR-MT200"
Rear carrier	Aluminum
Rear derailleur	SHIMANO "Acera RD-T3000"
Rear hub	Center Lock, QR
Rear light	CONTEC "TL-135"
Rear rotor	SHIMANO "SM-RT10", Ø 180 mm, Center Lock
Rear tire	CONTINENTAL "Contact Urban," 50-622, Reflex
Rims	SCHÜRMANN "YAK DISC 21", 21-622, 32 holes, disc brake, with eyelets, black
Saddle	Selle Royal "Essenza Plus", Moderate
Seatpost	ZOOM "SP-C255/ISO-M", Ø 30.4 mm, 350 mm long

Shifting lever	SHIMANO "ST-EF51"
Spokes	Niro, black
Sprocket / pulley	SHIMANO "Altus CS-HG31", 11-34 teeth
Stands	URSUS "R81 - Wave Rear"
Stem	ZOOM "TDS-D299N-8/FOV", 1 1/8", 31,8mm handlebar clamp, 75mm long, adjustable, black