

VICTORIA Electric urban bike "UTILYON 4" (#1)

unisex, 29", aquamarin blue , 10-speed SHIMANO "Deore", 51 cm

RRP: €5,999.00

With 1,295 watt-hours from two batteries, the Victoria “UTILYON 4” also offers outstanding endurance in powering its high-torque engine. So here, too, the motto is: Long-distance rides, here I come!Common to all “UTILYON” dual-Battery models is their commanding presence: powerful, robust, and inspiring confidence. Add to that the feeling that you can conquer any terrain. The maximum gross vehicle weight of 180 kg guarantees smooth handling as well as ideal conditions for carrying luggage—whether in rear panniers weighing up to 25 kg or up to 7 kg on the optional “LOADON” front rack.

Basic Data

Supplier Article Number:	BK26HV9200
EAN	4251971151222
MSRP:	€5,999.00
DST-Code	1A01
WEEE registration number	DE92509320
Fedas-Code	157021
Bidex-Code	123020
SB-Article	No
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	35.5 kg

Technical Data

Battery capacity	1295.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes
Colour designation	aquamarin blue
Drive	chain
Drive system	BOSCH Cargo Line
Drive version	middle motor

E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , XXL frame
Frame height	51 cm
Frame shape	unisex
Gears	10-speed
Gender	unisex
Main colour	blue
Material	aluminium
Model range	Utilyon
Permissible system weight	180 kg
Shifting name	10-Gang SHIMANO "Deore"
Shifting type	derailleur shifting
Support	up to 25km/h
Torque	85 Nm
Trailer Approval	no
Type	urban bike
Wheel size	29 "

Specifications

Battery	BOSCH "PowerTube 750 BES3 + 545 Wh Frame
Bottom bracket	BOSCH
Brake lever	MAGURA "MT4E/5E", 3Finger
Chain / belt	SHIMANO "CN-LG500"
Chain guard	CURANA "Chainguard Utilion Gen.4"
Chain ring / pulley	FSA 42 Zähne
Charger	BOSCH 4 Ah
Crank	FSA "CK-220", Gen.4, 170 mm
Display	BOSCH "Kiox 500"
Engine	BOSCH BES3 "Performance Cargo Line", 36 V, 250 W
Fender	CURANA " Orbis", 70mm, schwarz matt
Fork	Suntour Mobie 35 Boost EQ 2CR-PCS DS 15, 100 mm
Frame	Alu 6061, hydrogeformt, zulässiges Gesamtgewicht 180 kg
Frame Lock	Contec "Powerloc XL AZ"
Front brake	MAGURA "MT5E"
Front hub	SHIMANO "HB-MT400-B", QR 15x110, Disc, Center Lock
Front light	CONTEC "Dlux 120 E+" 120 Lux
Front rotor	MDR-C, CL, 203 mm, Centerlock
Front tire	SCHWALBE Al Grounder Perf, DD, RaceGuard, 60-622, Reflex
Grips	CONTEC "Merge Trekking Ergo"
Handlebar	ERGOTEC " Rise Bar 50 Comfort", 720 mm, Ø 31,8 mm, schwarz, Level 6
Pedals	UNION "SP-828", Alu, Antislip

Rear brake	MAGURA "MT4E"
Rear carrier	Massload MIK Utilyon
Rear hub	SHIMANO "FH-MT400-B", QR 15x148, Disc, Center Lock
Rear light	NANOCOB incl. Fender and Bosch Cable
Rear rotor	MDR-C, 180 mm, Centerlock
Rear tire	SCHWALBE Al Grounder Perf, DD, RaceGuard, 60-622, Reflex
Remote	BOSCH "BRC3100"
Rims	MACH1 "Trucky 35" Disc
Saddle	SELLE ROYAL "Lookin HD Stonex", Moderate
Seatpost	ERGOTEC Patent "Hook Evolution", Ø 31,6 mm, 15mm Setback, Alu, black, Level 6
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Deore SL-M5130-R10"
Spokes	Niro, 2 mm, schwarz
Sprocket / pulley	SHIMANO "CS-LG400-10 " 11-43 Z. silber
Stands	URSUS "King2", für Victoria Hinterbau, 40 mm, verstellbar
Stem	ERGOTEC "Swell-R Ahead 70", Ø31,8 mm, 45 °, schwarz 120mm + 5mm Spacer
System Interface	BOSCH BRC3300

More product images

