

VICTORIA Electric urban bike "UTILYON 5" (#1)

unisex, 29", cedar grey, ENVIOLO "HD" continuously variable, 57 cm

RRP: €6,999.00

Unlike the two derailleur models, which are ideally suited for hilly terrain, the Victoria “UTILYON 5” is a superb touring bike for primarily flat, long-distance routes—such as the 520 km Weser Cycle Route.The 380% gear ratio range of the continuously variable planetary gearbox in the rear hub finds an ideal partner in the high-torque Bosch “Performance CX” Drive, which in turn can draw on the 1,475 watt-hour capacity for an exceptionally long time.This makes daily rides covering three-digit kilometer distances no longer daunting. Combined with the timing belt, the drive system also promises very low maintenance requirements.

Basic Data

Supplier Article Number:	BK26HV9320
EAN	4251971151307
MSRP:	€6,999.00
DST-Code	1A01
WEEE registration number	DE92509320
Fedas-Code	157021
Bidex-Code	123020
SB-Article	No
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	39.1 kg

Technical Data

Battery capacity	1475.0 Wh , 1550.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes
Colour designation	cedar grey
Drive	belt
Drive system	BOSCH Performance Line CX
Drive version	middle motor

E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , XXL frame
Frame height	57 cm
Frame shape	unisex
Gears	stepless
Gender	unisex
Main colour	grey
Material	aluminium
Model range	Utilyon
Permissible system weight	180 kg
Shifting name	ENVIOLO "HD" stufenlos
Shifting type	internal gear shifting
Support	up to 25km/h
Torque	85 Nm
Trailer Approval	no
Type	urban bike
Wheel size	29 "

Specifications

Battery	BOSCH "PowerTube 750 + PowerPack 800
Bottom bracket	BOSCH
Brake lever	MAGURA "MT4E/5E", 3Finger
Chain / belt	GATES "CDX"
Chain guard	CURANA "Chainguard Utilion Gen.4"
Chain ring / pulley	GATES "CDX"
Charger	BOSCH 4 Ah
Crank	FSA "CK-220", Gen.4, 170 mm
Display	BOSCH "Kiox 500"
Engine	BOSCH BES3 "Performance Line CX", 36 V, 250 W
Fender	CURANA " Orbis", 70mm, schwarz matt
Fork	Suntour Mobie 35 Boost EQ 2CR-PCS DS 15, 100 mm
Frame	Alu 6061, hydrogeformt, zulässiges Gesamtgewicht 180 kg
Frame Lock	Contec "Powerloc XL AZ"
Front brake	MAGURA "MT5E"
Front hub	FORMULA "DC71", 15x110 mm
Front light	CONTEC "Dlux 120 E+" 120 Lux
Front rotor	MDR-C, 203 mm, 6-Loch
Front tire	SCHWALBE Al Grounder Perf, DD, RaceGuard, 60-622, Reflex
Grips	CONTEC "Merge Trekking Ergo"
Handlebar	ERGOTEC " Rise Bar 50 Comfort", 720 mm, Ø 31,8 mm, schwarz, Level 6
Pedals	UNION "SP-828", Alu, Antislip

Rear brake	MAGURA "MT4E"
Rear carrier	Massload MIK Utilyon
Rear hub	ENVIOLO "HD", stufenlos
Rear light	NANOCOB incl. Fender and Bosch Cable
Rear rotor	MDR-C, 180 mm, 6-Loch
Rear tire	SCHWALBE Al Grounder Perf, DD, RaceGuard, 60-622, Reflex
Remote	BOSCH "BRC3100"
Rims	MACH1 "Trucky 35" Disc
Saddle	SELLE ROYAL "Lookin HD Stonex", Moderate
Seatpost	ERGOTEC Patent "Hook Evolution", Ø 31,6 mm, 15mm Setback, Alu, black, Level 6
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	ENVIOLO "Twist Display Pro", Drehgriff stufenlos, MC-Twist-Disp-Pro-OE
Spokes	Niro, 2 mm, schwarz
Sprocket / pulley	GATES "CDX"
Stands	URSUS "King2", für Victoria Hinterbau, 40 mm, verstellbar
Stem	ERGOTEC "Swell-R Ahead 70", Ø31,8 mm, 45 °, schwarz 120mm + 5mm Spacer
System Interface	BOSCH "BRC3300"

More product images





