BRENNABOR

PREVIEW



# BRENNABOR Trekking bike "T-62" (#1)

**wave, 28", azur blue / yellow, 3x10-speed SHIMANO "Deore", 55 cm / L**

## RRP: €1,299.00

### Basic Data

| | |
|---|---|
| **EAN** | 4251971162495 |
| **MSRP:** | €1,299.00 |
| **Bidex-Code** | 102010 |
| **Fedas-Code** | 155011 |
| **SB-Article** | No |
| **DST-Code** | 1B00 |
| **Brand/Supplier** | BRENNABOR |
| **Unit of measure:** | PIECE |
| **Weight** | 18.4 kg |

### Technical Data

| | |
|---|---|
| **Brake system** | hydraulic disc brake |
| **Colour designation** | azur blue / yellow |
| **Drive** | chain |
| **E-bike** | no |
| **Features** | chain guard , fender , hub dynamo , suspension fork , system carrier |
| **Frame height** | 55 cm |
| **Frame shape** | wave |
| **Frame size** | L |
| **Gears** | 30-speed |
| **Gender** | unisex |
| **Main colour** | blue |
| **Material** | aluminium |
| **Model range** | T-62 |
| **Permissible system weight** | 130 kg |
| **Secondary colour** | yellow |

| | |
|---|---|
| **Shifting name** | 3x10-Gang SHIMANO "Deore" |
| **Shifting type** | derailleur shifting |
| **Transmission** | 3x 10-speed |
| **Travel** | 75 mm |
| **Type** | trekking bike |
| **Wheel size** | 28 " |

## Specifications

| | |
|---|---|
| **Bottom bracket** | SHIMANO "BB-ES300", Octalink, BSA-Gewinde, 113 mm Achslänge, 68 mm Gehäusebreite |
| **Brake lever** | SHIMANO "BL-MT200" |
| **Chain / belt** | KMC "e10 Turbo EPT", 10-fach |
| **Chain guard** | HESLING Kettenschützer "Duas", Kunststoff, 48 Z, Ø 22,0 cm, Länge 50 cm, schwarz matt |
| **Crankset** | SHIMANO "FC-T521", Octalink, 170 mm, 26/36/48 Z, 10-fach |
| **Derailleur hanger** | BRENNABOR für T-40, T-44, T-60, T-62, T-66, ab Mod. 2022 |
| **Dynamo** | SHIMANO "Nexus DH-C3000-3N-NT", schwarz |
| **Fender** | SKS "A 60 S", Kunststoff, 60 mm, schwarz matt |
| **Fork** | SR SUNTOUR "NCX32-E Air" 29", tapered, Post Mount |
| **Frame** | Brennabor Aluminium, Wave, 55 cm |
| **Front brake** | SHIMANO "BR-MT200", hydraulisch, Post Mount, Adapter für 180 mm |
| **Front derailleur** | Shimano "FD-T6000-H3" |
| **Front hub** | SHIMANO "DH-3D37-QR", Center Lock, schwarz |
| **Front light** | CONTEC "DLUX 30 N++", 30 Lux |
| **Front rotor** | SHIMANO "SM-RT10", Ø 180 mm, Center Lock |
| **Front tire** | CONTINENTAL "Contact Urban", 50-622, Reflex |
| **Grips** | CONTEC "Tour Wing Eco", 130 mm, schwarz |
| **Handlebar** | 680 mm, Ø 31,8 mm, schwarz |
| **Headset** | ZS44/28,6 / ZS56/40, 1 1/8" - 1,5", schwarz |
| **Pedals** | UNION "SP-822" |
| **Rear brake** | SHIMANO "BL-MT200 / BR-MT200", hydraulisch |
| **Rear carrier** | schwarz matt |
| **Rear derailleur** | SHIMANO "Deore RD-M6000" |
| **Rear hub** | Center Lock, 32 Loch, Schnellspanner, schwarz |
| **Rear light** | CONTEC "TL-135", Standlicht |
| **Rear rotor** | SHIMANO "SM-RT10", Ø 180 mm, Center Lock |
| **Rear tire** | CONTINENTAL "Contact Urban", 50-622, Reflex |
| **Rims** | SCHÜRMANN "YAK DISC 21", 21-622, 32 Loch, Scheibe, Ösen, schwarz |
| **Saddle** | SELLE ROYAL "Essenza Plus", Damen, moderat, schwarz |
| **Seatpost** | ZOOM "SP-C255/ISO-M", Ø 30,4 mm, 350 mm lang, schwarz |
| **Shifting lever** | SHIMANO "Deore SL-M6000-L/SL-M6000-R", 3/10-fach |
| **Spokes** | Niro, schwarz |
| **Sprocket / pulley** | SHIMANO "Deore CS-HG50", 10-fach, 11-36 Z |
| **Stands** | URSUS "R81 - Wave Rear", Länge einstellbar, schwarz |

| | |
|---|---|
| **Stem** | ZOOM, 1 1/8", 31,8 mm Lenkerklemmung, 75 mm lang, einstellbar, schwarz |