


# VICTORIA Electric trekking bike "TRESALO 15" (#1)

**diamond, 28", airstream silver, 5-speed SHIMANO "Nexus" freewheel, 50 cm / S**

## RRP: €3,799.00

The Victoria TRESALO 15 hub-gear model is a reliable companion for both everyday use and touring. The Shimano “Nexus” 5-speed hub, designed specifically for use on e-bikes, is available with either a coaster brake or a freewheel. The smart Bosch system provides more than enough support for your pedaling effort thanks to the new Performance engine and the “PowerTube 625” battery.The “Kiox 300” color display provides useful information about your current route and remains perfectly legible even in the dark. If the available information isn’t enough, you can access additional features via the free eFlow app. When paired with other navigation apps, such as Komoot or Strava, this opens up entirely new riding experiences with the new bike.We’ve designed the TRESALO models with integrated PowerTube batteries to feature a stable and stiff frame. The riding position—as you’d expect from a Victoria—is more upright and comfort-oriented than overly sporty and stretched out.As with all new Victoria models, the battery integrated into the down tube can be removed from the top. This eliminates the need to support the bike, as is required when removing it from the bottom. However, given the large capacity and the resulting weight of the battery, we recommend charging it while it’s still in the bike, as it’s simply more convenient.

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | KHA250121 |
| **EAN** | 4251971165939 |
| **MSRP:** | €3,799.00 |
| **WEEE registration number** | DE92509320 |
| **DST-Code** | 1B01 |
| **SB-Article** | No |
| **Bidex-Code** | 122010 |
| **Fedas-Code** | 155021 |
| **Brand/Supplier** | VICTORIA |
| **Unit of measure:** | PIECE |
| **Weight** | 29.8 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 625.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Child Seat Approval** | no |
| **Colour designation** | airstream silver |
| **Drive** | chain |

| | |
|---|---|
| **Drive system** | BOSCH Performance Line |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | chain guard , electronic sliding aid , fender , frame lock , suspension fork , suspension seatpost , system carrier |
| **Frame height** | 50 cm |
| **Frame shape** | diamond |
| **Frame size** | S |
| **Gears** | 5-speed |
| **Gender** | gents |
| **Main colour** | grey |
| **Material** | aluminium |
| **Model range** | Tresalo |
| **Permissible system weight** | 140 kg |
| **Secondary colour** | black |
| **Shifting name** | 5-Gang SHIMANO "Nexus" Leerlauf |
| **Shifting type** | internal gear shifting |
| **Support** | up to 25km/h |
| **Torque** | 75 Nm |
| **Trailer Approval** | no |
| **Travel** | 63 mm |
| **Type** | trekking bike |
| **Wheel size** | 28 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "Powertube 625", Lithium-Ionen mit BMS, 625 Wh |
| **Bottom bracket** | BOSCH |
| **Brake** | SHIMANO "BR-MT200" |
| **Brake lever** | SHIMANO "BL-MT201" |
| **Chain / belt** | KMC "Z1eHX Narrow EPT" |
| **Chain guard** | HESLING "Move" Bosch Gen.3 |
| **Chain ring / pulley** | MIRANDA, 38T |
| **Charger** | BOSCH 4 Ah |
| **Crank** | Miranda "PSI" |
| **Derailleur hanger** | Slider Dropout |
| **Display** | BOSCH, "Kiox 300" 4-Stufen, Remote Control, Schiebehilfe |
| **Engine** | BOSCH "Performance", 36 V, 250 W |
| **Fender** | CURANA "Apollo", 60mm, schwarz matt, Spoiler |
| **Fork** | SUNTOUR "SF19-NEX E25 NLO", einstellbar, Lockout, 63mm |
| **Frame** | Bosch-Intube-Frame, Aluminium 6061 |
| **Frame Lock** | CONTEC "Powerloc M AZ" |
| **Front hub** | SHIMANO "HB-RM35" QR, Center Lock |

| | |
|---|---|
| **Front light** | CONTEC "Dlux 80 E+" 80 Lux |
| **Front rotor** | SHIMANO "SM-RT30", 180mm, Center-Lock |
| **Front tire** | MAXXIS "Metropass", 50-622, Reflex |
| **Grips** | CONTEC "Tour Wing" |
| **Handlebar** | ERGOTEC "Riser Bar 50", 720 mm, Ø 31,8 mm, schwarz |
| **Pedals** | UNION "SP-828", Alu, Antislip |
| **Rear carrier** | MIK-ALU-GEPÄCKTRÄGER "TA7653A" MIK-System |
| **Rear hub** | SHIMANO "Nexus" 5-Gg. LL |
| **Rear light** | CONTEC „TL-335 E-Stop“, mit Stoplicht |
| **Rear rotor** | SHIMANO "SM-RT30", 160mm, Center-Lock |
| **Rear tire** | MAXXIS "Metropass", 50-622, Reflex |
| **Rims** | MACH "630 KARMA Disc" |
| **Saddle** | SELLE ROYAL "ESSENZA" Italy, Moderate Male |
| **Seatpost** | ERGOTEC Patent "SP10", gefedert, Ø 27,2 mm, Alu |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SHIMANO "Nexus", 5-Gg. |
| **Spokes** | 2,0 mm, Niro |
| **Sprocket / pulley** | SHIMANO, 27 Z. |
| **Stands** | URSUS "King2", für Victoria Hinterbau, 40 mm, verstellbar |
| **Stem** | ERGOTEC "Sepia 50", Ø31,8 mm, verstellbar, schwarz, 90mm |

## More product images

