



## CONWAY Electric MTB full suspension "eWME 2.0" (#1)

full suspension, 29", alu raw matt, 10-speed SHIMANO "Cues", 47 cm / L

**Price: €2,338.95**

The Conway "eWME 2.0" is your new partner for exciting trails and challenging drives, providing plenty of riding fun with its powerful e-drive and well thought-out geometry. With a stable 29" Wheel and a weight of 25.8 kg, it is ready to master any trail adventure. Driven by the Shimano "Steps" mid-motor, the bike offers support up to 25 km/h and with its 720 Wh Battery, you are well equipped for long tours. The 1x10 chain drive with Shimano gears ensures that you always find the right gear, whether on steep climbs or fast descents. The hydraulic Disc Brakes bring you safely to a stop even on the steepest downhill. With a fork travel of 160 mm and a frame travel of 155 mm, the "eWME 2.0" is ideally equipped to enjoy all-mountain trails and single tracks and offer you a smooth riding experience. The head tube angle of 65° and the seat angle of 76° ensure a relaxed but aggressive riding position, while the chainstay length and wheelbase provide stability and maneuverability.

### Basic Data

Supplier Article Number:	BK25HA0264
EAN	4251971168381
MSRP:	€3,999.95
Fedas-Code	154050
WEEE registration number	DE92509320
DST-Code	1E01
SB-Article	No
Bidex-Code	121020
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	25.8 kg

### Technical Data

Battery capacity	720.0 Wh
Brake system	hydraulic disc brake
Category E-bike	3
Chainstay	456 mm
Colour designation	alu raw matt
Drive	chain

<b>Drive system</b>	SHIMANO STEPS EP8
<b>Drive version</b>	middle motor
<b>E-bike</b>	yes
<b>Engine power</b>	250 W
<b>Features</b>	damper , electronic sliding aid , suspension fork
<b>Frame height</b>	47 cm
<b>Frame shape</b>	full suspension
<b>Frame size</b>	L
<b>Frame travel</b>	155 mm
<b>Gears</b>	10-speed
<b>Gender</b>	gents
<b>Main colour</b>	silver
<b>Material 1</b>	aluminium
<b>Model series</b>	eWME
<b>Permissible system weight</b>	130 kg
<b>Reach</b>	472 mm
<b>Seat angle</b>	75.5 °
<b>Seat tube</b>	470 mm
<b>Shifting name</b>	10-Gang SHIMANO "Cues"
<b>Shifting type</b>	derailleur shifting
<b>Stack</b>	638 mm
<b>Steering tube</b>	115 mm
<b>Steering tube angle</b>	65.0 °
<b>Stem length</b>	35.0 mm
<b>Support</b>	up to 25km/h
<b>Toptube</b>	625 mm
<b>Transmission</b>	1x 10-speed
<b>Travel</b>	160 mm
<b>Type</b>	full suspension
<b>Wheel distance</b>	1252 mm
<b>Wheel size</b>	29 "

### More product images



