



CONWAY Electric trekking bike "Cairon T 2.0 625 SE" (#1)

trapeze, 28", shadowgrey metallic matt / red metallic, 9-speed SHIMANO "Cues", 54 cm / XL

RRP €3,349.95

Are you looking for an e-bike that offers you a lot of comfort both in everyday life and on longer tours? Our "Cairon T 2.0 625 SE" is a trekking bike that impresses with its versatility and practical features. Driven by the Bosch mid-motor, the e-bike offers support up to 25 km/h and thus ensures a dynamic riding experience. The 625 Wh Battery provides enough energy for long rides, while the 9-speed derailleur gears from Shimano (model "Cues") enable easy gear changes and uncomplicated handling. The hydraulic Disc Brakes ensure reliable braking power even in varying conditions. A fork suspension travel of 80 mm increases comfort on a wide variety of surfaces, while the electronic Pushing Help makes cycling easier in demanding situations. The permissible total weight of 130 kg underlines the robustness and resilience of the "Cairon T 2.0 625 SE", which is suitable for both everyday use and relaxed excursions. It also offers a successful combination of functionality and modern design.

Basic Data

EAN	4251971169111
MSRP:	€3,349.95
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	27.1 kg

Technical Data

Battery capacity	625.0 Wh
Brake system	hydraulic disc brake
Chainstay	485 mm
Child Seat Approval	no
Colour designation	shadowgrey metallic matt / red metallic
Drive	chain
Drive system	BOSCH Performance Line

Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	electronic sliding aid , suspension fork
Frame height	54 cm
Frame shape	trapeze
Frame size	XL
Gears	9-speed
Gender	ladies
Main colour	grey
Material 1	aluminium
Model range	Cairon
Permissible system weight	130 kg
Reach	434 mm
Seat angle	73.0 °
Seat tube	540 mm
Secondary colour	red
Shifting name	9-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Stack	649 mm
Steering tube	150 mm
Steering tube angle	68.5 °
Stem length	90.0 mm
Support	up to 25km/h
Toptube	630 mm
Trailer Approval	no
Transmission	1x 9-speed
Travel	80 mm
Type	trekking bike
Wheel distance	1200 mm
Wheel size	28 "

More product images



