

pfautec Electric shopping bike "Eno AP" (#1)

low-entry, 24 / 24", blassgrün, 7-speed SHIMANO "Nexus" freewheel, 45 cm

RRP: €5,999.00

Basic Data

Supplier Article Number:	25-SHO-04-00002
EAN	4250632718408
MSRP:	€5,999.00
DST-Code	1Z03
Fedas-Code	159010
SB-Article	No
Bidex-Code	129090
Brand/Supplier	pfautec
Unit of measure:	PIECE
Weight	52 kg

Technical Data

Battery capacity	545.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	blassgrün
Drive	chain
Drive system	BOSCH Active Line Plus
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	bike basket , chain guard , deep entry , fender
Frame height	45 cm
Frame shape	low-entry
Gears	7-speed
Gender	unisex

Main colour	green
Material	steel
Model range	Eno
Permissible system weight	161 kg
Shifting name	7-Gang SHIMANO "Nexus" Freilauf
Shifting type	internal gear shifting
Support	up to 22km/h
Torque	50 Nm
Type	rear tricycle
Wheel size	24 / 24 "

Specifications

Battery	BOSCH "Powerpack 545", Lithium-Ionen mit BMS, 545 Wh
Bottom bracket	BOSCH
Brake lever	SACCON "LK-1820", mit Feststellfunktion
Chain / belt	Kette 1/2" X 1/8" (Breite 7,9mm), Antirost und Kette 1/2" X 3/32" (Breite 6,7mm)
Chain guard	Chainglider 38Z., schwarz
Chain ring / pulley	38 Z.
Charger	4 Ah
Crank	MIRANDA, Alu, 170 mm
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor "Active Line Plus", 36 V, 250 W
Fender	SKS, Kunststoff
Fork	Unicrown, 24"
Frame	Stahl
Frame Lock	ABUS 2 Teilig, für Smart System
Front brake	Hydraulische Scheibenbremse, 1200mm
Front hub	Alu, gedichtet
Front light	B&M "Upp", LED, 12V
Front tire	SCHWALBE "Marathon Plus", 47-507, Reflex
Grips	HERRMANS "DD37"
Handlebar	ERGOTEC "Touring ", schwarz
Headset	ERGOTEC "A118SAC"
Pedals	MARWI "828", Alu, rutschfest
Rear brake	Hydraulische Scheibenbremse, 2100mm (Twin)
Rear carrier	Drahtkorb, grobmaschig
Rear hub	SHIMANO "Nexus" 7-Gg. Freilauf
Rear light	Rücklicht für Gepäckträger 6V-12V
Rear tire	SCHWALBE "Marathon Plus", 47-507, Reflex
Rims	REMERX "Dragon L-719", Hohlkammer
Saddle	Sattel mit Rückenpolster
Seatpost	Alu, Kerze, Ø 27,2 mm

Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus", 3-speed.
Spokes	BÜCHEL, 2,0 mm, Niro
Sprocket / pulley	Laserritzel 28 Zähne
Stem	Ahead ergotec Crab 2 schwarz, Ø 25,4 mm

More product images





