

pfautec Electric shopping bike "Tamo FM" (#1)

low-entry, 24 / 24", blaugrau matt, 7-speed SHIMANO "Nexus" coaster brake, 45 cm

RRP: €4,399.00

Basic Data

Supplier Article Number:	25-SHO-03-00001
EAN	4250632718705
MSRP:	€4,399.00
DST-Code	1Z03
Fedas-Code	159010
SB-Article	No
Bidex-Code	129090
Brand/Supplier	pfautec
Unit of measure:	PIECE
Weight	46 kg

Technical Data

Battery capacity	324.0 Wh
Bosch Smart System	no
Brake system	coaster brake , rim brake
Colour designation	blaugrau matt
Drive	chain
Drive system	ANSMANN Power Drive
Drive version	front motor
E-bike	yes
Engine power	250 W
Features	bike basket , chain guard , deep entry , fender
Frame height	45 cm
Frame shape	low-entry
Gears	7-speed
Gender	unisex

Main colour	blue
Material	steel
Model range	Tamo
Permissible system weight	158 kg
Shifting name	7-Gang SHIMANO "Nexus" Rücktritt
Shifting type	internal gear shifting
Support	up to 22km/h
Torque	60 Nm
Type	rear tricycle
Wheel size	24 / 24 "

Specifications

Battery	ANSMANN Lithium-Ionen mit BMS, 36 V, 9 Ah, 324 Wh
Bottom bracket	Cartridge CH-50
Brake	SHIMANO V-Brake "BR-T4000"
Brake lever	ANSMANN,mit Feststellfunktion
Chain / belt	KMC "Z1 Narrow EPT", Antirost
Chain guard	Kunststoff, einflüglig
Charger	1,4 Ah
Crankset	Alu/Stahl, 38 Z., 170 mm
Display	LED
Engine	ANSMANN 6.0 Frontmotor, 36 V, 250 W, mit Anfahrhilfe
Fender	SKS, Kunststoff
Fork	Unicrown, 26", verstärkt
Frame	Stahl
Frame Lock	ABUS "Shield 5650L"
Front hub	ANSMANN Nabenmotor
Front light	B&M "Upp", LED, 12V
Front tire	SCHWALBE "Marathon Plus", 47-559, Reflex
Grips	WESTPHAL "438"
Handlebar	ERGOTEC "Cruiser", schwarz
Headset	1 1/8" Cartridge
Pedals	MARWI "811", Alu, rutschfest
Rear carrier	Drahtkorb, grobmaschig
Rear hub	SHIMANO "Nexus" 3/7-Gg. RBN
Rear light	B&M "Toplight" Standlicht, 5-15V
Rear tire	SCHWALBE "Marathon Plus", 47-507, Reflex
Rims	REMERX "Dragon L-719", Hohlkammer
Saddle	WITTKOP "Liberty"
Seatpost	Alu, Kerze, Ø 27,2 mm
Sensor	Bewegungssensor am Tretlager
Shifting lever	SHIMANO "Nexus", 3-speed.

Spokes	BÜCHEL, 2,0 mm, Niro
Sprocket / pulley	Laserritzel 26 Z.
Stem	ERGOTEC "Octopus XL", Ø 25,4 mm, verstellbar

More product images

