

VICTORIA Electric trekking bike "TRESALO 4" (#1)

wave, 28", marble grey matt, 8-speed SHIMANO "Essa", 48 cm / M

RRP: €2,899.00

An everyday trekking e-bike. The TRESALO 4 from VICTORIA is your reliable partner for adventures on city and country roads. With its full set of StVZO-compliant equipment and puncture-resistant SCHWALBE tires, it offers you the safety and comfort you need for carefree rides. The MIK System Carrier lets you attach bags, baskets, and even child seats, so you're always flexible and well-equipped on the go.Comfort and Functionality CombinedThanks to the Suntour Suspension Fork, you'll tackle even bumpy terrain with ease. The adjustable Stem and ergonomically curved Handlebars ensure a comfortable riding position that makes longer rides enjoyable. The rigidly mounted Saddle supports a stable, reliable ride. The HTM interface on the headset allows you to attach various front carriers from the Victoria accessory lineup, making it even easier to carry smaller items.Technical HighlightsThe TRESALO 4 is equipped with an 8-speed Shimano derailleur, which offers a wide gear ratio range of 409% and ensures you have the right speed for any situation. The hydraulic Shimano disc brakes at the front and rear provide reliable stopping power, while the Bosch Performance drive, together with the PowerTube 540 battery, delivers powerful assistance. The Purion 200 Display gives you all the important information at a glance. All carriers feature a second, lower crossbar to which panniers can be attached.Target AudienceThe TRESALO 4 is ideal for frequent riders, commuters, and trekking enthusiasts who value a balanced combination of functionality, comfort, and an attractive price-to-performance ratio. Experience the freedom and joy of every ride with this trekking e-bike—whether in everyday city life or on extended tours in nature.

Basic Data

EAN	4251971180338
MSRP:	€2,899.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	27.8 kg

Technical Data

Battery capacity	540.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	yes

Colour designation	marble grey matt
Drive	chain
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	48 cm
Frame shape	wave
Frame size	M
Gears	8-speed
Gender	ladies
Main colour	grey
Material	aluminium
Model range	Tresalo
Permissible system weight	140 kg
Shifting name	8-Gang SHIMANO "Essa"
Shifting type	derailleur shifting
Support	up to 25km/h
Torque	75 Nm
Trailer Approval	yes
Transmission	1x 8-speed
Travel	63 mm
Type	trekking bike
Wheel size	28 "

Specifications

Battery	BOSCH "PowerTube 540" 540Wh, BES3
Battery Lock	AXA
Bottom bracket	BOSCH
Brake	TEKTRO HD-T280 3-Finger
Chain / belt	KMC "X8 Silver"
Chain guard	SKS "CHAINBLADE" 38T, Bosch BDU34
Chain ring / pulley	Esjot Bosch Gen.4, 38T NW , CL47,5, Direct Mount, KTL black, 3mm, 1/2" x 11/128" and 1/2" x 3/32" inkl. Spacer (805-300-2) 85Nm
Charger	BOSCH 2 A, BES3
Crank	Prowheel EB03 170mm ISIS
Display	BOSCH "Purion 200"
Engine	BOSCH "Drive Unit Performance" BES3
Fender	SKS "A65R" schwarz matt
Fork	SF24-NEX-E25 DS 700C 140KG Type2 63mm
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium

Frame Lock	AXA "ATLAS L"
Front hub	SHIMANO "HB-QC300" Center Lock, OLD:100mm, QR:133mm, 36H
Front light	AXA "NXT 30" 30LUX
Front rotor	TEKTRO TR180-35 Round type design. Barrel. ,180MM ,1.8MM Thickness ,2 Piece Center Lock
Front tire	SCHWALBE ENERGIZER ACTIVE PLUS PunctureGuard, TwinSkin 50-622 B/B+RT
Grips	VELO VLG-1879D2 138mm
Handlebar	HL "BARBORE", 31,8mm, 640mm, Rise 21mm, Backsweep 35°, Schwarz
Headset	Prestine PT-1867C ZS56/28,5 ZS56/40
Other	HTM 2.0 Aufnahme
Pedals	MARWI "SP-180" Schwarz Matt
Rear carrier	Gepäckträger MIK-HD HA018, Kindersitztauglich
Rear derailleur	SHIMANO "Essa RD-U2000" 8-Fach
Rear hub	SHIMANO "FH-QC300-HM" QR-170mm, Center Lock, 36H
Rear light	AXA "Juno" E-Bike, 6-12V, 50mm
Rear rotor	TEKTRO TR180-35 Round type design. Barrel. ,180MM ,1.8MM Thickness ,2 Piece Center Lock
Rear tire	SCHWALBE ENERGIZER ACTIVE PLUS PunctureGuard, TwinSkin 50-622 B/B+RT
Rims	RODI "BlackRock 23" 28", 23-622, 36 Loch
Saddle	VELO "VL-6568", 185mm
Seatpost	HL "SP-C255", 31,6mm, 400mm, 15mm Offset, Black
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Right SL-M314", 8-fach, mit Ganganzeige
Spokes	2,0 mm, Niro
Sprocket / pulley	SHIMANO "CS-HG300", 8-fach, 11-45 Zähne
Stands	MASSLOAD "KA100" 40mm
Stem	HL Barbore 31.8mm, EXT 90mm, with Faceplatemount sandblasted anodized black