

VICTORIA Electric trekking bike "Cysalo 9" (#2)

diamond, 28", onyx grey, 8-speed SHIMANO "Nexus" coaster brake, 60 cm / XL

RRP: €2,999.00

A comfortable e-bike for everyday use and leisure. The CYSALO 9 is the ideal comfortable e-bike for anyone who wants to ride both in the city and off the beaten path. With its StVZO-compliant features and durable Schwalbe Energizer Plus Tour tires, it offers safety and reliability. The practical MIK System carrier makes it easy to attach bags, baskets, or child seats, turning the bike into an affordable all-rounder.Comfort and Functionality The Suspension Fork with 63 mm of travel guarantees a comfortable ride even on uneven trails. The angle-adjustable aluminum Stem and the 640 mm-wide Handlebars ensure a relaxed riding position. The Gates CDC straps, combined with the Shimano Nexus 8-speed hub gear, offers a gear ratio range of 244% and is particularly low-maintenance. You can choose between a coaster brake or a freewheel. The front and rear Shimano disc brakes ensure safe stopping power in all weather conditions.Technical SpecificationsThe CYSALO 9 is equipped with an Active Line Plus drive system, controlled via a Purion 200 Display. The high-quality 60-lux lighting from Herrmanns ensures visibility and safety in the dark. The Abus Frame Lock provides additional security when the bike is parked.Target Audience The CYSALO 9 is your everyday and recreational bike if you value comfort, durability, and excellent value for the money.Discover the perfect blend of comfort and functionality for your daily adventures and enjoyable rides with the CYSALO 9.

Basic Data

EAN	4251971179165
MSRP:	€2,999.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.2 kg

Technical Data

Battery capacity	545.0 Wh
Bosch Smart System	yes
Brake system	coaster brake , hydraulic disc brake
Category E-bike	2
Child Seat Approval	no
Colour designation	onyx grey

Drive	belt
Drive system	BOSCH Active Line Plus
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	60 cm
Frame shape	diamond
Frame size	XL
Gears	8-speed
Gender	gents
Main colour	grey
Material	aluminium
Model range	Cysalo
Permissible system weight	140 kg
Shifting name	8-Gang SHIMANO "Nexus" Rücktritt
Shifting type	internal gear shifting
Support	up to 25km/h
Torque	50 Nm
Trailer Approval	no
Transmission	1x 8-speed
Travel	63 mm
Type	trekking bike
Wheel size	28 "

Specifications

Battery	BOSCH "PowerPack 545", 545 Wh
Battery Lock	AXA
Bottom bracket	BOSCH
Brake	SHIMANO "BR-MT200"
Chain / belt	GATES "CDC" 128T, 1408mm, Schwarz
Chain guard	CURANA "BELTGUARD BODY C+"
Chain ring / pulley	GATES "CDC", 46 T.
Charger	BOSCH 2 A, BES3
Crank	PROWHEEL "EB03", 170 mm, ISIS
Display	BOSCH "Purion 200"
Engine	BOSCH "Active Line Plus" Gen. 4, BES3
Fork	SUNTOUR "SF24-NEX-E24" DS 700C
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium
Frame Lock	AXA "ATLAS"
Front fender	CURANA "Apollo" 60 mm, Front, Schwarz Matt
Front hub	SHIMANO "HB-QC300" Center Lock, OLD:100mm, QR:133mm, 36H

Front light	HERRMANS "FL-25 MR9" E-Bike Suntour Ver.1
Front rotor	SHIMANO "SM-RT30", 180 mm CenterLock
Front tire	SCHWALBE "Road Cruiser", 47-622
Grips	VELO "VLG-1891-1AD2", Black
Handlebar	SATORI "BARBORE", 31,8 mm, 640 mm, Rise 21 mm, Backsweep 35°, Schwarz
Headset	VP "VP-A45AC"
Pedals	MARWI "SP-827" Victoria Logo, Schwarz
Rear carrier	Cysalo MIK
Rear hub	SHIMANO "Nexus SG-C6061-8CD", 8-Gang, Rücktrittbremse, 5-Loch, 36 Loch, schwarz
Rear light	HERRMANS "H-Trace" E-Bike, 6-12V, 50 mm
Rear mudguard	CURANA "Apollo" 60 mm, Rear, Schwarz Matt
Rear rotor	SHIMANO "SM-RTC60", 160 mm, 5-Bolt
Rear tire	SCHWALBE "Road Cruiser", 47-622
Rims	RODI "BlackRock 23" 28", 23-622, 36 Loch
Saddle	VELO
Seatpost	SATORI "SP-C255", 31,6 mm, 350 mm, 15 mm Offset, Black
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C6001", 8-fach
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	GATES "CDC", für Alfine/Nexus, 24 Zähne
Stands	URSUS "KINGEVO" 40 mm, verstellbar
Stem	SATORI "BARBORE", 31,8 mm, 100 mm