

# VICTORIA Electric trekking bike "TRESALO 5" (#2)

**wave, 28", spinell red matt, Shimano "Nexus" 5-Speed Coaster Brake, 48 cm / M**

## RRP: €2,999.00

An all-terrain e-bike for everyday use. The TRESALO 5 from VICTORIA is your ideal all-around bike for everyday life, whether in the city or in the countryside. Equipped with StVZO-compliant LED lights and SCHWALBE puncture-resistant tires, it offers safety and durability on all your rides. The MIK-System Carrier allows for easy attachment of bags and baskets and provides flexibility for everyday use.Comfort and PracticalityThe Suntour Suspension Fork ensures a comfortable ride, even on uneven terrain. The adjustable Stem and drop handlebars allow for an ergonomic riding position that adapts to your riding style. The rigid Seatpost ensures direct power transfer, which is particularly advantageous for commuting. The HTM interface on the headset allows you to attach various front carriers from the Victoria accessory line, making it even easier to carry smaller items.Technical SpecificationsThe TRESALO 5 is equipped with a reliable 5-speed Nexus hub gear system and Shimano disc brakes front and rear—for safe braking in any weather. The Bosch Performance drive, combined with the PowerTube 540 battery, provides powerful assistance on all your rides. The Purion 200 display shows you all the important information at a glance. All carriers feature a second, lower crossbar to which panniers can be attached.Target AudienceThe TRESALO 5 is your trusty everyday companion if you're looking for a timeless, comfortable e-bike that combines functionality with riding enjoyment. Ideal for everyday and casual Fahrers who value quality and a reasonable price-performance ratio.

### Basic Data

| | |
|---|---|
| **EAN** | 4251971180444 |
| **MSRP:** | €2,999.00 |
| **WEEE registration number** | DE92509320 |
| **DST-Code** | 1B01 |
| **SB-Article** | No |
| **Bidex-Code** | 122010 |
| **Fedas-Code** | 155021 |
| **Brand/Supplier** | VICTORIA |
| **Unit of measure:** | PIECE |
| **Weight** | 28.5 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 540.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | coaster brake , hydraulic disc brake |
| **Category E-bike** | 2 |
| **Child Seat Approval** | yes |

| | |
|---|---|
| **Colour designation** | spinell red matt |
| **Drive** | chain |
| **Drive system** | BOSCH Performance Line |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | chain guard , electronic sliding aid , fender , suspension fork , system carrier |
| **Frame height** | 48 cm |
| **Frame shape** | wave |
| **Frame size** | M |
| **Gears** | 5-speed |
| **Gender** | ladies |
| **Main colour** | red |
| **Material** | aluminium |
| **Model range** | Tresalo |
| **Permissible system weight** | 140 kg |
| **Shifting name** | 5-Gang SHIMANO "Nexus" Rücktritt , Shimano "Nexus" 5-Gang Rücktritt |
| **Shifting type** | internal gear shifting |
| **Support** | up to 25km/h |
| **Torque** | 75 Nm |
| **Trailer Approval** | yes |
| **Transmission** | 1x 5-speed |
| **Travel** | 63 mm |
| **Type** | trekking bike |
| **Wheel size** | 28 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "PowerTube 540" 540Wh, BES3 |
| **Battery Lock** | AXA |
| **Bottom bracket** | BOSCH |
| **Brake** | TEKTRO HD-T280 3-Finger |
| **Chain / belt** | KMC "e1 EPT" 1/2"x3/32" |
| **Chain guard** | SKS "CHAINBOW" 38T, Bosch BDU34 |
| **Chain ring / pulley** | Esjot Bosch Gen.4, 38T , CL47,5, Direct Mount, KTL black, 3mm, 1/2" x 11/128" and 1/2" x 3/32" inkl. Spacer (805-300-2) 85Nm |
| **Charger** | BOSCH 2 A, BES3 |
| **Crank** | Prowheel EB03 170mm ISIS |
| **Display** | BOSCH "Purion 200" |
| **Engine** | BOSCH "Drive Unit Performance" BES3 |
| **Fender** | SKS "A65R" schwarz matt |
| **Fork** | SF24-NEX-E25 DS 700C 140KG Type2 63mm |
| **Frame** | Bosch-Intube-Elektro-Trekking-Frame, Aluminium |

| | |
|---|---|
| **Frame Lock** | AXA "ATLAS L" |
| **Front hub** | SHIMANO "HB-QC300" Center Lock, OLD:100mm, QR:133mm, 36H |
| **Front light** | AXA "NXT 30" 30LUX |
| **Front rotor** | TEKTRO TR180-35 Round type design. Barrel. ,180MM ,1.8MM Thickness ,2 Piece Center Lock |
| **Front tire** | SCHWALBE ENERGIZER ACTIVE PLUS PunctureGuard, TwinSkin 50-622 B/B+RT |
| **Grips** | VELO VLG-1881D2 128mm/93,5mm |
| **Handlebar** | HL "BARBORE", 31,8mm, 640mm, Rise 21mm, Backsweep 35°, Schwarz |
| **Headset** | Prestine PT-1867C ZS56/28,5 ZS56/40 |
| **Other** | HTM 2.0 Aufnahme |
| **Pedals** | MARWI "SP-180" Schwarz Matt |
| **Rear carrier** | Gepäckträger MIK-HD HA018, Kindersitztauglich |
| **Rear hub** | SHIMANO "Nexus SG-C7002-5CD", 5-Gang, Rücktrittbremse, 5-Loch, 36 Loch, schwarz |
| **Rear light** | AXA "Juno" E-Bike, 6-12V, 50mm |
| **Rear rotor** | TektroTR180-47 With 5 mounting bolts. ,180MM ,1.8MM Thickness ,2 PIECE 5-BOLT |
| **Rear tire** | SCHWALBE ENERGIZER ACTIVE PLUS PunctureGuard, TwinSkin 50-622 B/B+RT |
| **Rims** | RODI "BlackRock 23" 28", 23-622, 36 Loch |
| **Saddle** | VELO "VL-6568", 185mm |
| **Seatpost** | HL "SP-C255", 31,6mm, 400mm, 15mm Offset, Black |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SHIMANO "Nexus SL-C7000-5", 5-Gang |
| **Spokes** | 2,0 mm, Niro |
| **Sprocket / pulley** | SHIMANO "CS-C7000", 27 Zähne |
| **Stands** | MASSLOAD "KA100" 40mm |
| **Stem** | HL Barbore 31.8mm, EXT 90mm, with Faceplatemount sandblasted anodized black |

## More product images

