

VICTORIA Electric trekking bike "TRESALO 5" (#2)

wave, 28", spinell red matt, Shimano "Nexus" 5-Speed Coaster Brake, 56 cm / XL

RRP: €2,999.00

An all-terrain e-bike for everyday use. The TRESALO 5 from VICTORIA is your ideal all-around bike for everyday life, whether in the city or in the countryside. Equipped with StVZO-compliant LED lights and SCHWALBE puncture-resistant tires, it offers safety and durability on all your rides. The MIK-System Carrier allows for easy attachment of bags and baskets and provides flexibility for everyday use.Comfort and PracticalityThe Suntour Suspension Fork ensures a comfortable ride, even on uneven terrain. The adjustable Stem and drop handlebars allow for an ergonomic riding position that adapts to your riding style. The rigid Seatpost ensures direct power transfer, which is particularly advantageous for commuting. The HTM interface on the headset allows you to attach various front carriers from the Victoria accessory line, making it even easier to carry smaller items.Technical SpecificationsThe TRESALO 5 is equipped with a reliable 5-speed Nexus hub gear system and Shimano disc brakes front and rear—for safe braking in any weather. The Bosch Performance drive, combined with the PowerTube 540 battery, provides powerful assistance on all your rides. The Purion 200 display shows you all the important information at a glance. All carriers feature a second, lower crossbar to which panniers can be attached.Target AudienceThe TRESALO 5 is your trusty everyday companion if you're looking for a timeless, comfortable e-bike that combines functionality with riding enjoyment. Ideal for everyday and casual Fahrers who value quality and a reasonable price-performance ratio.

Basic Data

EAN	4251971180468
MSRP:	€2,999.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.5 kg

Technical Data

Battery capacity	540.0 Wh
Bosch Smart System	yes
Brake system	coaster brake , hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes

Colour designation	spinell red matt
Drive	chain
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	56 cm
Frame shape	wave
Frame size	XL
Gears	5-speed
Gender	ladies
Main colour	red
Material	aluminium
Model range	Tresalo
Permissible system weight	140 kg
Shifting name	5-Gang SHIMANO "Nexus" Rücktritt , Shimano "Nexus" 5-Gang Rücktritt
Shifting type	internal gear shifting
Support	up to 25km/h
Torque	75 Nm
Trailer Approval	yes
Transmission	1x 5-speed
Travel	63 mm
Type	trekking bike
Wheel size	28 "

Specifications

Battery	BOSCH "PowerTube 540" 540Wh, BES3
Battery Lock	AXA
Bottom bracket	BOSCH
Brake	TEKTRO HD-T280 3-Finger
Chain / belt	KMC "e1 EPT" 1/2"x3/32"
Chain guard	SKS "CHAINBOW" 38T, Bosch BDU34
Chain ring / pulley	Esjot Bosch Gen.4, 38T , CL47,5, Direct Mount, KTL black, 3mm, 1/2" x 11/128" and 1/2" x 3/32" inkl. Spacer (805-300-2) 85Nm
Charger	BOSCH 2 A, BES3
Crank	Prowheel EB03 170mm ISIS
Display	BOSCH "Purion 200"
Engine	BOSCH "Drive Unit Performance" BES3
Fender	SKS "A65R" schwarz matt
Fork	SF24-NEX-E25 DS 700C 140KG Type2 63mm
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium

Frame Lock	AXA "ATLAS L"
Front hub	SHIMANO "HB-QC300" Center Lock, OLD:100mm, QR:133mm, 36H
Front light	AXA "NXT 30" 30LUX
Front rotor	TEKTRO TR180-35 Round type design. Barrel. ,180MM ,1.8MM Thickness ,2 Piece Center Lock
Front tire	SCHWALBE ENERGIZER ACTIVE PLUS PunctureGuard, TwinSkin 50-622 B/B+RT
Grips	VELO VLG-1881D2 128mm/93,5mm
Handlebar	HL "BARBORE", 31,8mm, 640mm, Rise 21mm, Backsweep 35°, Schwarz
Headset	Prestine PT-1867C ZS56/28,5 ZS56/40
Other	HTM 2.0 Aufnahme
Pedals	MARWI "SP-180" Schwarz Matt
Rear carrier	Gepäckträger MIK-HD HA018, Kindersitztauglich
Rear hub	SHIMANO "Nexus SG-C7002-5CD", 5-Gang, Rücktrittbremse, 5-Loch, 36 Loch, schwarz
Rear light	AXA "Juno" E-Bike, 6-12V, 50mm
Rear rotor	TektroTR180-47 With 5 mounting bolts. ,180MM ,1.8MM Thickness ,2 PIECE 5-BOLT
Rear tire	SCHWALBE ENERGIZER ACTIVE PLUS PunctureGuard, TwinSkin 50-622 B/B+RT
Rims	RODI "BlackRock 23" 28", 23-622, 36 Loch
Saddle	VELO "VL-6568", 185mm
Seatpost	HL "SP-C255", 31,6mm, 400mm, 15mm Offset, Black
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C7000-5", 5-Gang
Spokes	2,0 mm, Niro
Sprocket / pulley	SHIMANO "CS-C7000", 27 Zähne
Stands	MASSLOAD "KA100" 40mm
Stem	HL Barbore 31.8mm, EXT 90mm, with Faceplatemount sandblasted anodized black

More product images

