

VICTORIA Electric SUV "AVYON 2" (#1)

wave, 27,5", jade olive matt, 9-speed SHIMANO "Cues", 52 cm / M

RRP: €3,599.00

The AVYON 2 from VICTORIA is the ideal e-bike for adventurers looking to discover new horizons. With its rugged construction and high-quality features, it's ready for any challenge, whether in the wilderness or on urban exploration tours. The maximum StVZO-compliant equipment and Maxxis tires ensure safety and traction on any terrain.Comfort and PerformanceThe RockShox Judy Silver TK Suspension Fork with 100 mm of travel absorbs bumps with ease, while the Satori Wien Handlebars and adjustable Stem provide an ergonomic riding position. The Ergotec Hook saddle ensures comfort on long rides. The Massload MIK System Carrier securely holds all your adventure gear.Technical SpecificationsThe AVYON 2 is equipped with a 9-speed Shimano drivetrain and powerful BR-MT410 disc brakes, ensuring precise control in any situation. The Bosch Performance Line drive and the Bosch PowerTube 540 battery provide you with the power and range you need to explore even the most remote corners. The Bosch Purion 200 Display gives you all the important information at a glance.Target AudienceThe AVYON 2 is the e-bike for you if you're looking for freedom and adventure and are ready to blaze new trails. It offers the perfect combination of performance, comfort, and versatility to satisfy your thirst for adventure and create unforgettable experiences.

Basic Data

Supplier Article Number:	KHA261012
EAN	4251971179356
MSRP:	€3,599.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.7 kg

Technical Data

Battery capacity	540.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes

Colour designation	jade olive matt
Drive	chain
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	52 cm
Frame shape	wave
Frame size	M
Gears	9-speed
Gender	ladies
Main colour	green
Material	aluminium
Model range	Avyon
Permissible system weight	140 kg
Shifting name	9-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Torque	75 Nm
Trailer Approval	yes
Transmission	1x 9-speed
Travel	100 mm
Type	SUV
Wheel size	27,5 "

Specifications

Battery	BOSCH "PowerTube 540" 540 Wh
Bottom bracket	BOSCH
Chain / belt	SHIMANO "CN-LG500"
Chain guard	CURANA "C-Lite Chainguard" M+, Avyon, Schwarz
Chain ring / pulley	FSA 38 T.
Charger	BOSCH 2 A, BES3
Crank	FSA 170 mm, ISIS
Derailleur hanger	UDH
Display	BOSCH "Purion 200"
Engine	BOSCH "Drive Unit Performance" BES3
Fork	ROCKSHOX "Judy Silver TK" 100 mm, 27"
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium
Frame Lock	ABUS "4750" XL
Front brake	SHIMANO "BL-MT4100(L)/BR-MT420(F)" SM-MA-F180, Resin Pad
Front fender	CURANA "Orbit", 65 mm, schwarz matt

Front hub	SHIMANO "HB-TC500-15" Center Lock, 15x110mm, 36H
Front light	AXA "NXT", 80 Lux
Front rotor	SHIMANO "SM-RT30", 203 mm, CenterLock
Front tire	MAXXIS "Metropass AT", 61-584
Grips	HERRMANS "Nucore Grip Town Peak"
Handlebar	SATORI "WIEN", 31,8mm, 680mm, Rise 20°, Backsweep 15°
Headset	FSA "55R"
Pedals	MARWI "SP-828" Victoria Logo, Schwarz
Rear brake	SHIMANO "BL-M4100-BR-MT420(R)" SM-MA-F180P/P2, Resin Pad
Rear carrier	MIK HD
Rear derailleur	SHIMANO "Cues RD-U4000" 9-Fach
Rear hub	SHIMANO "FH-TC600-HM-B" 8/9/10-Fach, MTB 11-Fach, Center Lock, 12x148mm, 36H
Rear light	Büchel "Nano COB", integriert im Schutzblech
Rear mudguard	CURANA "Orbit", 65 mm, schwarz matt, Nano COB
Rear rotor	SHIMANO "SM-RT30", 180 mm CenterLock
Rear tire	MAXXIS "Metropass AT", 61-584
Rims	RODI "BlackRock 25" 27,5", 25-584, 36 Loch, Schwarz
Saddle	SELLE ROYAL "Explora", Moderate Wide
Seatpost	ERGOTEC "HOOK", 31,6mm, 400mm, 15mm, Schwarz
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Cues SL-U4000", 9-fach
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	SHIMANO "Cues CS-LG400", LINKGLIDE, 9-fach, 11-41 Zähne
Stands	URSUS "R97 IC invisible Connect"
Stem	SATORI "Hatchback", 31,8 mm, 90 mm