

VICTORIA Electric trekking bike "AVYON 4" (#2)

wave, 27,5", topas blue, 1x9-speed SHIMANO "Cues", 52 cm / M

RRP: €3,799.00

An e-bike for explorers and adventurers. The AVYON 4 from VICTORIA is the ultimate e-bike for the adventurous among you. It combines power with state-of-the-art technology and gives you the freedom to explore new horizons. Thanks to its rugged build and the powerful Bosch PowerTube 600 Battery, you'll be ready for any challenge.Durability and Performance With the RockShox Judy Silver TK Suspension Fork and its 100 mm of travel, you'll conquer even the roughest trails with ease. The adjustable SATORI Hatchback Stem and SATORI Wien Handlebars let you customize your setup for optimal comfort on long rides. The MASSLOAD MIK system rack lets you securely stow or carry all your adventure gear.Technical SpecificationsThe AVYON 4 is equipped with a 1x9 Shimano Cues drivetrain and powerful SHIMANO BR-MT410 disc brakes, ensuring you stay in control in any situation. The Bosch Performance Line PX drive system, combined with the Bosch Purion 200 Display, delivers a dynamic riding experience and shows you all key ride data at a glance.Target AudienceThe AVYON 4 is your companion for adventures and journeys of discovery off the beaten path. If you're looking for an e-bike that combines performance, durability, and flexibility, then the AVYON 4 is just right for you.Gear ratio range: 423% | Wheelbase: 2.04 to 8.20 m.

Basic Data

Supplier Article Number:	KHA261020
EAN	4251971179431
MSRP:	€3,799.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.7 kg

Technical Data

Battery capacity	600.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes

Colour designation	topas blue
Drive	chain
Drive system	BOSCH Performance Line PX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	52 cm
Frame shape	wave
Frame size	M
Gears	9-speed
Gender	ladies
Main colour	blue
Material	aluminium
Model range	Avyon
Permissible system weight	140 kg
Shifting name	1x9-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Torque	90 Nm
Trailer Approval	yes
Transmission	1x 9-speed
Travel	100 mm
Type	SUV
Wheel size	27,5 "

Specifications

Battery	BOSCH "PowerTube 600" 600 Wh
Bottom bracket	BOSCH
Chain / belt	SHIMANO "CN-LG500"
Chain guard	CURANA "C-Lite Chainguard" M+, Avyon, Schwarz
Chain ring / pulley	FSA 38 T.
Charger	BOSCH 4 A, BES3
Crank	FSA 170 mm, ISIS
Derailleur hanger	UDH
Display	BOSCH "Purion 200"
Engine	BOSCH "Performance Line PX/Sport" BES3
Fork	ROCKSHOX "Judy Silver TK" 100 mm, 27"
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium
Frame Lock	ABUS "4750" XL
Front brake	SHIMANO "BL-M4100 / BR-MT410", hydraulisch, Post Mount, Adapter für 180 mm
Front fender	CURANA "Orbit", 65 mm, schwarz matt

Front hub	SHIMANO "HB-TC500-15" Center Lock, 15x110mm, 36H
Front light	AXA "NXT", 80 Lux
Front rotor	SHIMANO "SM-RT30", 203 mm, CenterLock
Front tire	MAXXIS "Metropass AT", 61-584
Grips	HERRMANS "Nucore Grip Town Peak"
Handlebar	SATORI "WIEN", 31,8mm, 680mm, Rise 20°, Backsweep 15°
Headset	FSA "55R"
Other	HTM 2.0 Aufnahme
Pedals	MARWI "SP-828" Victoria Logo, Schwarz
Rear brake	SHIMANO "BL-M4100(R)/BR-MT410(R)" SM-MA-F180P2, Resin Pad
Rear carrier	MIK HD
Rear derailleur	SHIMANO "Cues RD-U4000" 9-Fach
Rear hub	SHIMANO "FH-TC600-HM-B" 8/9/10-Fach, MTB 11-Fach, Center Lock, 12x148mm, 36H
Rear light	Büchel "Nano COB", integriert im Schutzblech
Rear mudguard	CURANA "Orbit", 65 mm, schwarz matt, Nano COB
Rear rotor	SHIMANO "SM-RT30", 180 mm CenterLock
Rear tire	MAXXIS "Metropass AT", 61-584
Rims	RODI "BlackRock 25" 27,5", 25-584, 36 Loch, Schwarz
Saddle	SELLE ROYAL "Explora", Moderate Wide
Seatpost	ERGOTEC "HOOK", 31,6mm, 400mm, 15mm, Schwarz
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Cues SL-U4010"
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	SHIMANO "Cues CS-LG400", LINKGLIDE, 9-fach, 11-41 Zähne
Stands	URSUS "R97 IC invisible Connect"
Stem	SATORI "Hatchback", 31,8 mm, 90 mm