

VICTORIA Electric trekking bike "AVYON 5" (#2)

diamond, 27,5", slate grey matt, 5-speed SHIMANO "Nexus" freewheel, 58 cm / XL

RRP: €3,999.00

All-road e-bike for adventure seekers. The AVYON 5 is the ideal all-road e-bike for adventurers seeking variety and excitement. With its modern features and rugged Maxxis Rekon tires, it’s ready for spontaneous rides on city streets and forest trails. The StVZO-compliant lighting from Busch&Müller ensures safety. The MIK System Carrier offers space for all your adventure gear.Comfort and FunctionalityThe RockShox Recon Silver RL Suspension Fork with 100 mm of travel effortlessly handles uneven trails and ensures a comfortable ride. The adjustable Stem and the 680 mm wide, drop Handlebars provide an ergonomic riding position. The Ergotec Seatpost and powerful Shimano disc brakes guarantee riding fun and control in every situation.Technical SpecificationsThe AVYON 5 is equipped with a Nexus 5-speed hub gear system and hydraulic Shimano disc brakes. The Performance Line PX drive system and the PowerTube 600 battery provide reliable assistance. The Bosch Purion 200 display shows all important ride data and turns every ride into an experience.Target AudienceThe AVYON 5 is your adventure companion if you’re looking for a modern, versatile e-bike that motivates you to discover the world on your own terms. Experience freedom and riding fun on any terrain with state-of-the-art technology.Gear ratio range: 263%

Basic Data

Supplier Article Number:	KHA261025
EAN	4251971179486
MSRP:	€3,999.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.7 kg

Technical Data

Battery capacity	600.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes

Colour designation	slate grey matt
Drive	chain
Drive system	BOSCH Performance Line PX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	58 cm
Frame shape	diamond
Frame size	XL
Gears	5-speed
Gender	gents
Main colour	grey
Material	aluminium
Model range	Avyon
Permissible system weight	140 kg
Shifting name	5-Gang SHIMANO "Nexus" Leerlauf
Shifting type	internal gear shifting
Support	up to 25km/h
Torque	90 Nm
Trailer Approval	yes
Transmission	1x 5-speed
Travel	100 mm
Type	SUV
Wheel size	27,5 "

Specifications

Battery	BOSCH "PowerTube 600" 600 Wh
Bottom bracket	BOSCH
Chain / belt	KMC "Z1eHX EPT Narrow"
Chain guard	CURANA "C-Lite Chainguard" M+, Avyon, Schwarz
Chain ring / pulley	ESJOT 42 T.
Charger	BOSCH 4 A, BES3
Crank	FSA 170 mm, ISIS
Display	BOSCH "Purion 200"
Engine	BOSCH "Performance Line PX/Sport" BES3
Fork	ROCKSHOX "Recon Silver RL" 100 mm, 27"
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium
Frame Lock	ABUS "4750" XL
Front brake	SHIMANO "BL-M4100 / BR-MT410", hydraulisch, Post Mount, Adapter für 180 mm
Front fender	CURANA "Orbit", 65 mm, schwarz matt
Front hub	SHIMANO "HB-TC500-15" Center Lock, 15x110mm, 36H

Front light	AXA "NXT", 80 Lux
Front rotor	SHIMANO "SM-RT30", 203 mm, CenterLock
Front tire	MAXXIS "Metropass AT", 61-584
Grips	HERRMANS "Nucore Grip Town Peak"
Handlebar	SATORI "WIEN", 31,8mm, 680mm, Rise 20°, Backsweep 15°
Headset	FSA "55R"
Pedals	MARWI "SP-828" Victoria Logo, Schwarz
Rear brake	SHIMANO "BL-M4100(R)/BR-MT410(R)" SM-MA-F180P2, Resin Pad
Rear carrier	MIK HD
Rear hub	SHIMANO "Nexus SG-C7000-5D", 5-Gang, Leerlauf, Center Lock, 36 Loch, schwarz
Rear light	Büchel "Nano COB", integriert im Schutzblech
Rear mudguard	CURANA "Orbit", 65 mm, schwarz matt, Nano COB
Rear rotor	SHIMANO "SM-RT30", 180 mm CenterLock
Rear tire	MAXXIS "Metropass AT", 61-584
Rims	RODI "BlackRock 25" 27,5", 25-584, 36 Loch, Schwarz
Saddle	SELLE ROYAL "Explora", Moderate
Seatpost	ERGOTEC "HOOK", 31,6mm, 400mm, 15mm, Schwarz
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C7000-5", 5-Gang
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	SHIMANO "CS-C7000", 27 Zähne
Stands	URSUS "R97 IC invisible Connect"
Stem	SATORI "Hatchback", 31,8 mm, 110 mm