

VICTORIA Electric trekking bike "TRESALO 8" (#1)

diamond, 28", slate grey matt, 10-speed SHIMANO "Cues", 50 cm / M

RRP: €3,999.00

An SUV-style e-bike for every type of ride. The Tresalo 8 from Victoria is the perfect crossover e-bike for versatile use in the city and the great outdoors. With full StVZO compliance and SCHWALBE puncture-resistant tires, you'll enjoy safety and reliability on any terrain. The MIK System Carrier is ideal for safely transporting your bags, baskets, or child seats.Comfort and FunctionalityThe Suntour Suspension Fork with a Thru Axle ensures a comfortable ride on uneven terrain. Thanks to the angle-adjustable Stem and the drop Handlebars, you can enjoy an ergonomic and comfortable riding position. The 40-lux front LED light ensures clear visibility even in the dark. The HTM interface on the headset allows you to attach various front carriers from the Victoria accessory line, making it even easier to carry smaller items.Technical SpecificationsThe Tresalo 8 is equipped with a 10-speed Shimano derailleur and Shimano disc brakes, which ensure precise shifting and safe braking. The Bosch PX drive and the powerful PowerTube 800 battery provide strong support. The Kiox 300 Display shows you all relevant ride data at a glance. All carriers feature a second, lower crossbar to which panniers can be attached.Target AudienceThe Tresalo 8 is your comfortable and practical companion for everyday use and touring if you value a balanced combination of functionality and riding enjoyment.

Basic Data

Supplier Article Number:	KHA261063
EAN	4251971180918
MSRP:	€3,999.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	27.9 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes

Colour designation	slate grey matt
Drive	chain
Drive system	BOSCH Performance Line PX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	50 cm
Frame shape	diamond
Frame size	M
Gears	10-speed
Gender	gents
Main colour	grey
Material	aluminium
Model range	Tresalo
Permissible system weight	140 kg
Shifting name	10-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Torque	90 Nm
Trailer Approval	yes
Transmission	1x 10-speed
Travel	63 mm
Type	trekking bike
Wheel size	28 "

Specifications

Battery	BOSCH "PowerTube 800" 800Wh, BES3
Battery Lock	AXA
Bottom bracket	BOSCH
Brake lever	SHIMANO BL-MT402-3A
Chain / belt	KMC "e-Glide EPT"
Chain guard	SKS "CHAINBLADE" 38T, Bosch BDU34
Chain ring / pulley	Esjot Bosch Gen.4, 38T NW , CL50, Direct Mount, KTL black, 3mm, 1/2" x 11/128" and 1/2" x 3/32" inkl. Spacer (805-300-2) 85Nm
Charger	BOSCH 2 A, BES3
Crank	Prowheel EB03 170mm ISIS
Display	BOSCH "Kiox 300", 4-Stufen, Remote Control, Schiebehilfe
Engine	BOSCH "Performance Line PX/Sport" BES3
Fender	SKS "A65R" schwarz matt
Fork	SUNTOUR "SF19-NEX-E25C NLO", einstellbar, Lockout, 63mm Travel, Tapered, DISC, QR15 700C
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium

Frame Lock	AXA "ATLAS L"
Front brake	SHIMANO BL-MT402-3A, BR-MT410
Front hub	SHIMANO "HB-M6010" Center Lock, OLD:100mm, QR15mm, 32H
Front light	AXA "NXT 60" 60 LUX
Front rotor	SHIMANO SM-RT54 180mm
Front tire	SCHWALBE ENERGIZER PLUS Perf, GreenGuard, TwinSkin, 55-622 B/B+RT
Grips	Contec "MERGE Trekking Ergo", Left long, Right long, with G-Link
Handlebar	ERGOTEC "Riser Bar 50", 720 mm, Ø 31,8 mm, schwarz
Headset	Prestine PT-1867C ZS56/28,5 ZS56/40
Other	HTM 2.0 Aufnahme
Pedals	MARWI "SP-180" Schwarz Matt
Rear brake	SHIMANO BL-MT402-3A, BR-MT410
Rear carrier	Gepäckträger MIK-HD HA018, Kindersitztauglich
Rear derailleur	SHIMANO "Deore RD-M5130" 10/11-Fach
Rear hub	SHIMANO "FH-TC500-HM" 8-11-Fach, 12x142mm, Center Lock, 32H
Rear light	AXA "Juno" E-Bike, 6-12V, 50mm
Rear rotor	SHIMANO SM-RT54 180mm
Rear tire	SCHWALBE ENERGIZER PLUS Perf, GreenGuard, TwinSkin, 55-622 B/B+RT
Remote	BOSCH "BRC3600", LED Remote
Rims	RODI "BlackRock 23" 28", 23-622, 32 Loch
Saddle	SELLE ROYAL "Essenza" with embossed corners
Seatpost	ERGOTEC SPS-405 alloy 31.6x350mm anod. Bk
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Deore SL-M5130", 10-fach, mit Ganganzeige
Spokes	2,0 mm, Niro
Sprocket / pulley	SHIMANO "Cues CS-LG400", LINKGLIDE, 10-fach, 11-43 Zähne
Stands	MASSLOAD "KA100" 40mm
Stem	HL Barbore 31.8mm, EXT 90mm, with Faceplatemount sandblasted anodized black