

VICTORIA Electric trekking bike "TRESALO 9" (#1)

trapeze, 28", onyx grey matt, 5-speed SHIMANO "Nexus" freewheel, 54 cm / L

RRP: €3,999.00

An e-bike for everyday use. The Tresalo 9 from Victoria is your reliable everyday companion for rides on flat terrain. The option to attach a child seat to the Carrier or to pull a Trailer greatly expands your possibilities. The second crossbar on the MIK System Carrier allows you to easily attach panniers—perfect for grocery runs or when you're heading out on a tour.Comfort and FunctionalityThe Suntour Suspension Fork with a Thru Axle ensures a comfortable ride, even on uneven terrain. The adjustable Stem and ergonomically curved Handlebars offer you a relaxed and customizable riding position. The HTM interface on the headset allows you to attach various front carriers from the Victoria accessory line, making it even easier to carry smaller items.Technical SpecificationsThe Tresalo 9 is equipped with a low-maintenance 5-speed Nexus hub gear system and Shimano disc brakes, which guarantee your safety in any weather. The powerful Bosch Performance Line engine and the PowerTube 800 battery support you on all your rides. The Kiox 300 Display clearly shows you all important riding data.Target AudienceThe Tresalo 9 is your reliable e-bike for everyday use if you value a low-maintenance hub gear system and a balanced price-performance ratio. It accompanies you on all your journeys with comfort, quality, and a touch of nostalgia.

Basic Data

Supplier Article Number:	KHA261077
EAN	4251971181052
MSRP:	€3,999.00
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.8 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	2
Child Seat Approval	yes

Colour designation	onyx grey matt
Drive	belt
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	54 cm
Frame shape	trapeze
Frame size	L
Gears	5-speed
Gender	ladies
Main colour	grey
Material	aluminium
Model range	Tresalo
Permissible system weight	140 kg
Shifting name	5-Gang SHIMANO "Nexus" Leerlauf
Shifting type	internal gear shifting
Support	up to 25km/h
Torque	75 Nm
Trailer Approval	yes
Transmission	1x 5-speed
Travel	63 mm
Type	trekking bike
Wheel size	28 "

Specifications

Battery	BOSCH "PowerTube 800" 800Wh, BES3
Battery Lock	AXA
Bottom bracket	BOSCH
Brake lever	SHIMANO BL-MT402-3A
Chain / belt	GATES "CDC" 122T, 1342mm, Schwarz
Chain guard	HESLING "Wing" Bosch BDU34
Chain ring / pulley	CDX Fin Line Spider Assembly, 46T, 5B, BCD 130 - Bosch BDU38 MY25 Unified BL 45,5 mm, Motor Offset 0 mm, with Guard
Charger	BOSCH 2 A, BES3
Crank	Prowheel EB03 170mm ISIS
Display	BOSCH "Kiox 300", 4-Stufen, Remote Control, Schiebehilfe
Engine	BOSCH "Drive Unit Performance" BES3
Fender	SKS "A65R" schwarz matt
Fork	SUNTOUR "SF25-NVX32-5TA" NLO DS, 29"
Frame	Bosch-Intube-Elektro-Trekking-Frame, Aluminium

Frame Lock	AXA "ATLAS L"
Front brake	SHIMANO BL-MT402-3A, BR-MT410
Front hub	SHIMANO "HB-RM35" Center Lock, OLD:100mm, QR:133mm, 36H
Front light	AXA "NXT 60" 60 LUX
Front rotor	SHIMANO SM-RT54 180mm
Front tire	SCHWALBE ENERGIZER PLUS Perf, GreenGuard, TwinSkin, 55-622 B/B+RT
Grips	Contec "MERGE Trekking Ergo", Left long, Right short, with G-Link
Handlebar	ERGOTEC "Riser Bar 50", 720 mm, Ø 31,8 mm, schwarz
Headset	Prestine PT-1867C ZS56/28,5 ZS56/40
Other	HTM 2.0 Aufnahme
Pedals	MARWI "SP-180" Schwarz Matt
Rear brake	SHIMANO BL-MT402-3A, BR-MT410
Rear carrier	Gepäckträger MIK-HD HA018, Kindersitztauglich
Rear hub	SHIMANO "Nexus SG-C7000-5D", 5-Gang, Leerlauf, Center Lock, 36 Loch, schwarz
Rear light	AXA "Juno" E-Bike, 6-12V, 50mm
Rear rotor	SHIMANO SM-RT54 180mm
Rear tire	SCHWALBE ENERGIZER PLUS Perf, GreenGuard, TwinSkin, 55-622 B/B+RT
Remote	BOSCH "BRC3600", LED Remote
Rims	RODI "BlackRock 23" 28", 23-622, 36 Loch
Saddle	SELLE ROYAL "Essenza" with embossed corners
Seatpost	ERGOTEC SPS-405 alloy 31.6x350mm anod. Bk
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C7000-5", 5-Gang
Spokes	2,0 mm, Niro
Sprocket / pulley	GATES "CDX", für Shimano Nexus 5, 30 Zähne
Stands	MASSLOAD "KA100" 40mm
Stem	HL Barbore 31.8mm, EXT 90mm, with Faceplatemount sandblasted anodized black