

CONWAY Electric MTB hardtail "Cairon S 4.0 " (#1)

diamond, 29", deepblue matt, 10-speed SHIMANO "Cues", 53 cm / XL

RRP: €3,799.95

The "Cairon S 4.0" is your sporty introduction to e-MTB riding—responsive, comfortable, and versatile. The balanced geometry ensures agile handling and a centered riding position, giving you confidence on winding forest trails, gravel roads, and mild terrain. You'll feel the bike working with you—uphill with powerful thrust, downhill with confident control.The 29" wheels and 120 mm Suspension Fork effortlessly absorb bumps, while the aluminum frame remains stable and lightweight. The Bosch mid-drive motor with Smart System delivers reliable power, supported by an 800 Wh Battery and eMTB+ mode for dynamic assistance. The Shimano 10-speed derailleur ensures precise shifting, while hydraulic disc brakes provide safe stopping power. And thanks to Bosch PowerMore 250 compatibility, you can easily extend the range when needed—for longer rides and more freedom on the trail.

Basic Data

Supplier Article Number:	BK26HA0040
EAN	4251971174764
MSRP:	€3,799.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	24.8 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	no
Colour designation	deepblue matt
Drive	chain
Drive system	BOSCH Performance Line CX

Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	electronic sliding aid , suspension fork
Frame height	53 cm
Frame shape	diamond
Frame size	XL
Gears	10-speed
Gender	gents
Main colour	blue
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Secondary colour	black
Shifting name	10-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 10-speed
Travel	120 mm
Type	hardtail
Wheel size	29 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M280"
Brake lever	TEKTRO "HD-M280"
Chain / belt	SHIMANO "LG500"
Chain ring / pulley	MIRANDA "Virage", 34 Z.
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", 160 mm
Derailleur hanger	0347028/3
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor Gen.5 "Performance CX", 36 V, 250 W
Fork	SUNTOUR "XCR34X Air"
Frame	CONWAY Intube Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front rotor	TEKTRO "TR180-35", 180 mm
Front tire	SCHWALBE "Smart Sam", black / bronze
Grips	SQLAB "70X"
Handlebar	KALLOY "HB-RB11", Rise 15mm, 740mm

Headset	ACROS "ZS56-ZS56", Blocklock
Rear derailleur	SHIMANO "Cues RD-U6000", 10speed
Rear hub	SHIMANO "FH-TC500", 12 x 148mm, HG
Rear rotor	TEKTRO "TR180-35", 180 mm
Rear tire	SCHWALBE "Smart Sam", black / bronze
Remote	BOSCH "Purion 200"
Rims	RODI "Tryp 30 Evo", 30-622
Saddle	SELLE ROYAL "SRX+", 145mm
Seatpost	JD "Two piece alloy", 31,6 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Cues SL-U6000"
Spokes	ALPINA
Sprocket / pulley	SHIMANO "LG300-10", 11-48 Z.
Stem	KALLOY "AS-DC1N", 60mm