

CONWAY Electric SUV "Cairon SUV FS 4.0" (#2)

wave, 27", metallic grey matt, 12-speed SHIMANO "XT", 54 cm / XL

RRP: €4,799.95

Our "Cairon SUV FS 4.0" makes your everyday life more sporty, more comfortable, and simply more flexible. The Bosch mid-drive motor with Smart System delivers powerful assistance up to 25 km/h, while the 800 Wh Battery—elegantly integrated into the down tube and easily removable from the top—ensures long-lasting rides.Thanks to 120 mm of suspension travel front and rear, you'll glide effortlessly over asphalt, gravel, or forest trails. The Shimano "Deore XT" 12-speed derailleur shifts precisely, and the hydraulic disc brakes provide reliable stopping power. With 27"-wheels, you'll enjoy a smooth ride and excellent maneuverability.Practical features: The HTM 2.0 front rack mount allows for smart transport solutions, the BCM module-ready design makes your bike digitally connectable, and the Range Extender-ready frame offers you even more range. Compatibility with child seats and trailers, along with eMTB+ mode, round out the complete package.

Basic Data

Supplier Article Number:	BK26HA0640
EAN	4251971175846
MSRP:	€4,799.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	29.9 kg

Technical Data

Article type	Electric SUV
Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	yes
Colour designation	metallic grey matt

Drive	chain
Drive system	BOSCH Performance Line CX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	damper , electronic sliding aid , fender , suspension fork
Frame height	54 cm
Frame shape	wave
Frame size	XL
Frame travel	120 mm
Gears	12-speed
Gender	ladies
Main colour	grey
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Shifting name	12-Gang SHIMANO "XT"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	yes
Transmission	1x 12-speed
Travel	120 mm
Type	SUV
Wheel size	27 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M535", 4/4-Kolben
Brake lever	TEKTRO "HD-M535"
Chain / belt	SHIMANO "CN-M6100"
Chain ring / pulley	MIRANDA "36T w Guard"
Charger	Bosch 4 A, BES3
Crank	MIRANDA "Virage", Q12, 165mm
Damper	FOX "Float Rhythm", 2 Pos.
Derailleur hanger	0347028/3
Display	BOSCH "Kiox 300"
Engine	BOSCH Mittelmotor Gen.5 "Performance CX", 36 V, 250 W
Fender	CURANA "Apollo 75"
Fork	SUNTOUR "Mobie34 Air NLO", Boost, 120 mm
Frame	CONWAY Intube WaveFully Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm

Front light	HERRMANS "MR9"
Front rotor	TEKTRO "TR203-45, 203 mm
Front tire	SCHWALBE "Smart Sam", 60-584
Grips	CONTEC "Tour Wing"
Handlebar	SATORI "Noir", 15° backsweep, 660 mm
Headset	ACROS "ZS56-ZS56", Blocklock
Pedals	VP "VPE-527"
Rear carrier	MASSLOAD "MIK HD", inkl. Federklappe
Rear derailleur	SHIMANO "XT RD-M8100", 12-speed
Rear hub	SHIMANO "FH-TC500", 12 x 148mm
Rear light	AXA "Juno E-Bike", Brake Light
Rear rotor	TEKTRO "TR180-45 2,3", 180 mm
Rear tire	SCHWALBE "Smart Sam", 60-584
Remote	BOSCH "LED Remote"
Rims	CONWAY "TRYP 30"
Saddle	SELLE ROYAL "Vivo Moderat Ergo"
Seatpost	LIMOTEC "D1", 31,6 mm, 100 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "XT SL-M8100"
Spokes	Niro
Sprocket / pulley	SHIMANO "CS-M6100-12", 10-51 Z.
Stands	URSUS "MOOI Plus", 40 mm
Stem	SATORI "Python ICR adjustable", 110mm

More product images






