

CONWAY Electric MTB full suspension "Xyron LT 6.0" (#1)

full suspension, 29", olive matt / dusty yellow, 12-Speed SHIMANO "XT" Mix, 46 cm / XL

RRP: €5,499.95

Welcome to the world of long-travel e-enduros! The “Xyron LT 6.0 Alu” is the perfect entry-level bike—and it’s anything but basic. With 170 mm of front travel and 160 mm at the rear, plus 29-inch wheels, it really handles any rough terrain with ease. The Bosch mid-drive motor and 800 Wh Battery take you on relaxed rides, even when the going gets steeper. The 100 Nm upgrade gives you a boost on the toughest climbs.The riding position? Central, efficient, and ready for elevation gain: a 435 mm reach and a steep seat angle ensure optimal power transfer uphill without your front wheel lifting off the ground. The Shimano “XT” 12-speed drivetrain and hydraulic disc brakes give you precise control, even when the going gets rough.The well-thought-out geometry ensures balanced handling—uphill with plenty of grip and pressure on the Front Wheel, and downhill with stability and tracking without sacrificing agility. Convenient features include the tool mount under the top tube and a hidden kickstand mount on the rear triangle. And with a maximum load capacity of 140 kg, you’re ready for even the biggest adventures.

Basic Data

Supplier Article Number:	01027127
EAN	4251971176560
MSRP:	€5,499.95
Fedas-Code	154050
WEEE registration number	DE92509320
DST-Code	1E01
SB-Article	No
Bidex-Code	121020
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	26.9 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	no
Colour designation	olive matt / dusty yellow
Drive	chain

Drive system	BOSCH Performance Line CX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	damper , electronic sliding aid , suspension fork
Frame height	46 cm
Frame shape	full suspension
Frame size	XL
Frame travel	160 mm
Gears	12-speed
Gender	gents
Main colour	green
Material	aluminium
Model range	Xyron
Permissible system weight	140 kg
Secondary colour	yellow
Shifting name	12-Gang SHIMANO "XT" Mix
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 12-speed
Travel	170 mm
Type	full suspension
Wheel size	29 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	MAGURA "GUSTAV Elite", 4/4-Kolben
Brake lever	MAGURA "GUSTAV Elite"
Chain / belt	SHIMANO "Deore"
Chain ring / pulley	E13 "Helix Core e*spec", 34 Z.
Charger	Bosch 4 A, BES3
Crank	MIRANDA "Virage", 160 mm
Damper	FOX "Float X Performance", 2 Pos.
Derailleur hanger	0347028/3
Display	BOSCH "Kiox 400"
Engine	BOSCH Mittelmotor Gen.5 "Performance CX", 36 V, 250 W
Fork	FOX "38 Rhythm"
Frame	CONWAY Fully Intube Bosch, Alu
Front hub	NEWMEN "Basic", 15 x 110 mm
Front rotor	MAGURA "MDR-S", 203 mm

Front tire	SCHWALBE "Magic Mary" 62-622, Performance, TLE
Grips	SQLAB "70X"
Handlebar	LEVEL 9 "Race e35.0", Rise 35mm, 780 mm
Headset	ACROS "ZS56-ZS56", Blocklock
Rear derailleur	SHIMANO "Deore XT", 12speed
Rear hub	NEWMEN "Basic", 12 x 148 mm, MS
Rear rotor	MAGURA "MDR-S", 203 mm
Rear tire	SCHWALBE "Big Betty" 62-622, Performance, TLE
Remote	BOSCH "Mini Remote"
Rims	NEWMEN "Performance 30 Base", 30-622
Saddle	SELLE ROYAL "SRX+", 145mm
Seatpost	LIMOTEC "A1", 31,6 mm, 170 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Deore XT"
Spokes	SAPIM
Sprocket / pulley	SHIMANO "Deore", 10-51 Z.
Stem	LEVEL 9 "Race e35.0", 50mm

More product images






