

CONWAY Electric MTB full suspension "Xyron S 4.0" (#1)

full suspension, 29", bronze matt / darkgrey matt, 12-speed SRAM "Eagle 90", 46 cm / XL

RRP: €4,999.95

Our "Xyron S 4.0" combines the versatility of an all-mountain bike with the ruggedness of an enduro bike—perfect for challenging rides and fast descents.The fully integrated 600-Wh battery in the closed down tube creates a clean, sleek look that's not only attractive but also practical. Thanks to fewer components and a quieter drive system, it stands out above all for one thing: less weight! Our "Xyron S 4.0" weighs in at just 23 kg—an outstanding result!The combination with the Bosch mid-drive motor gives you valuable reserves and powerful assistance when you need it—uphill, on long rides, or simply to spend more time off-road.You'll have full control thanks to the SRAM drivetrain and hydraulic disc brakes, no matter how rough the trail gets. The geometry puts you in an active, centered position—for efficient climbing and stable handling on descents. And with the hidden kickstand mount, the bike remains well-thought-out and functional even for everyday use.

Basic Data

Supplier Article Number:	01027200
EAN	4251971176720
MSRP:	€4,999.95
Fedas-Code	154050
WEEE registration number	DE92509320
DST-Code	1E01
SB-Article	No
Bidex-Code	121020
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	23.8 kg

Technical Data

Battery capacity	600.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Category E-bike	4
Child Seat Approval	no
Colour designation	bronze matt / darkgrey matt

Drive	chain
Drive system	BOSCH Performance Line CX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	damper , electronic sliding aid , suspension fork
Frame height	46 cm
Frame shape	full suspension
Frame size	XL
Frame travel	160 mm
Gears	12-speed
Gender	gents
Main colour	brown
Material	aluminium
Model range	Xyron
Permissible system weight	140 kg
Secondary colour	grey
Shifting name	12-Gang SRAM "Eagle 90"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 12-speed
Travel	160 mm
Type	full suspension
Wheel size	29 "

Specifications

Battery	BOSCH "Powertube 600", Lithium-Ionen mit BMS
Bottom bracket	BOSCH
Brake	MAGURA "GUSTAV Elite", 4/4-Kolben
Brake lever	MAGURA "GUSTAV Elite"
Chain / belt	SRAM "E70"
Chain ring / pulley	SRAM "Transmission", 34 Z.
Charger	Bosch 2 A, BES3
Crank	SRAM "E90", 155 mm
Damper	FOX "Float Rhythm", 2 Pos.
Derailleur hanger	0347028/3
Display	BOSCH "Kiox 400"
Engine	BOSCH Mittelmotor Gen.5 "Performance CX", 36 V, 250 W
Fork	FOX "36 Rhythm"
Frame	CONWAY Fully Intube Bosch, Alu
Front hub	NEWMEN "Basic", 15 x 110 mm

Front rotor	MAGURA "MDR-S", 203 mm
Front tire	CONTINENTAL "Magnotal Trail soft" 60-622, black / bronze, TLE
Grips	SQLAB "70X"
Handlebar	LEVEL 9 "Race e35.0", Rise 35mm, 780 mm
Headset	ACROS "ZS56-ZS56", Blocklock, 10mm High Stack
Rear derailleur	SRAM "E90"
Rear hub	NEWMEN "Basic", 12 x 148 mm, XD
Rear rotor	MAGURA "MDR-S", 203 mm
Rear tire	CONTINENTAL "Magnotal Trail soft" 60-622, black / bronze, TLE
Remote	BOSCH "Mini Remote"
Rims	NEWMEN "Performance 30 Base", 30-622
Saddle	SELLE ROYAL "SRX+", 145mm
Seatpost	LIMOTEC "A1", 31,6 mm, 170 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SRAM "E90"
Spokes	SAPIM
Sprocket / pulley	SRAM "XS1275", 10-52 Z.
Stem	LEVEL 9 "Race e35.0", 50mm

More product images






