

QiO Electric compact bike "Compact PE" (#1)

unisex, 20", petrol blue matt, Enviolo TR, 48 cm

RRP: €3,999.00

The "Compact PE" from QiO embodies smart mobility with style. The powerful Bosch mid-drive motor with Smart System and a 545-Wh Battery reliably propels you up to 25 km/h—quietly, efficiently, and with minimal maintenance thanks to the belt drive. The continuously variable Enviolo TR hub gear system ensures smooth shifting. With 20-inch wheels and a sturdy aluminum frame, this compact bike is agile and comfortable. The generous step-through design makes it easy to mount—ideal for anyone who prefers a bike that's easy to handle. Hydraulic disc brakes keep you safe in any weather.With a maximum weight capacity of 180 kg and practical features like Fenders, the "Compact PE" is ready for any route you want to take. Plus, with our clever Accessories, you can easily customize and personalize it.

Basic Data

EAN	4251971178083
MSRP:	€3,999.00
Fedas-Code	159021
DST-Code	1A01
WEEE registration number	DE92509320
SB-Article	No
Bidex-Code	123040
Brand/Supplier	QiO
Unit of measure:	PIECE
Weight	27.8 kg

Technical Data

Battery capacity	545.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	petrol blue matt
Drive	belt
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , system carrier
Frame height	48 cm

Frame shape	unisex
Gears	stepless
Gender	unisex
Main colour	blue
Material	aluminium
Model range	Compact
Permissible system weight	180 kg
Shifting name	Enviolo TR
Shifting type	internal gear shifting
Support	up to 25km/h
Type	compact bike
Wheel size	20 "

Specifications

Battery	BOSCH "PowerPack 545", 545 Wh
Battery Lock	ABUS Battery Lock
Bottom bracket	BOSCH
Chain / belt	GATES "CDC"
Chain guard	SKS "Chainblade"
Chain ring / pulley	Gates "CDC Fin Line", 55 teeth, belt line 50 mm
Charger	BOSCH 4 A
Crank	PROWHEEL "EB03", 170 mm
Derailleur hanger	Slider dropout, suitable for PE, PXA+
Display	BOSCH "Purion 200" Display, 4-stage, Remote Control, Pushing Help
Engine	BOSCH "Performance Line" engine, max. 75 Nm
Fender	SKS "A 69 R"
Fork	Aluminum, tapered 1 1/4" - 1.5"
Frame	QIO Compact, Bosch Gen. 4, BES3, aluminum, 48 cm
Front brake	MAGURA "MT A2"
Front hub	SHIMANO "HB-TC500," 12 x 100 mm, Center Lock, Thru Axle
Front light	Busch + Müller "Briq-S E", 60 lux
Front rotor	MAGURA "MDR-A", Ø 180 mm
Front tire	CONTINENTAL "eContact Plus," 62-406, Reflex
Grips	HERRMANS "Clik Original DD37"
Handlebar	ergotec "Lady Town", 620 mm, Ø 31.8 mm, 30° backsweep
Headset	ACROS ZS66/31.75 OD74 / ZS66/46/OD72, blocklock
Pedals	MARWI "SP-157" Faltpedale
Rear brake	MAGURA "MT A2"
Rear carrier	"MIK HD 2.0" for MIK Side
Rear hub	ENVIOLO "TR", stepless, 6-hole
Rear light	Busch + Müller "Dart E Brex "
Rear rotor	MAGURA "MDR-A", Ø 180 mm

Rear tire	CONTINENTAL "eContact Plus," 62-406, Reflex
Rims	DT SWISS "U 663", 36 hole, eyeletted, tubeless ready
Saddle	Selle Royal "On", Moderate Wide
Seatpost	by,schulz "R.3 P-QR", Ø 34.9 mm, 400 mm long, 25 mm offset
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	ENVIOLO "Twist Pure Display", stepless
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	Gates "CDC", 22 teeth
Stands	URSUS "Invisible Mount", 20"
Stem	ergotec "Sepia Ahead XL", 80 mm long, adjustable, level 5

More product images

