

# QiO Electric compact bike "Compact PXA+" (#1)

**unisex, 20", forest green, Enviolo TR Automatiq, 48 cm**

## RRP: €5,299.00

Want to move around freely without compromising on comfort and style? The "Compact PXA+" from QiO makes exactly that possible. With the Bosch mid-drive motor and Smart System, you can ride effortlessly up to 25 km/h—supported by a quiet, low-maintenance belt drive. A special highlight of this compact e-bike is the continuously variable Enviolo “Automatiq” hub gear system. It shifts automatically and adapts entirely on its own to your speed and riding style, ensuring a particularly relaxed riding experience.With a capacity of 800 Wh, the Battery reliably powers you through everyday life and on tours. So you can even enjoy an extra lap after work. The sturdy aluminum frame, with its 20-inch wheels and hydraulic disc brakes, offers you safety and control—in any weather. Fenders are already built in.The “+” in the name stands for a maximum Fahrer weight of 150 kg—ideal for anyone who needs a little more wiggle room. And with a gross vehicle weight rating of 180 kg, your daily life becomes even more flexible—you can carry quite a bit on it. Whether you’re using it as a Porter in the city or traveling with extra luggage—your “Compact PXA+” offers enough flexibility for both.

### Basic Data

| | |
|---|---|
| **EAN** | 4251971178304 |
| **MSRP:** | €5,299.00 |
| **Fedas-Code** | 159021 |
| **DST-Code** | 1A01 |
| **WEEE registration number** | DE92509320 |
| **SB-Article** | No |
| **Bidex-Code** | 123040 |
| **Brand/Supplier** | QiO |
| **Unit of measure:** | PIECE |
| **Weight** | 29.4 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 800.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Colour designation** | forest green |
| **Drive** | belt |
| **Drive system** | BOSCH Performance Line PX |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |

| | |
|---|---|
| **Features** | chain guard , electronic sliding aid , fender , system carrier |
| **Frame height** | 48 cm |
| **Frame shape** | unisex |
| **Gears** | stepless |
| **Gender** | unisex |
| **Main colour** | green |
| **Material** | aluminium |
| **Model range** | Compact |
| **Permissible system weight** | 180 kg |
| **Shifting name** | Enviolo TR Automatiq |
| **Shifting type** | internal gear shifting |
| **Support** | up to 25km/h |
| **Type** | compact bike |
| **Wheel size** | 20 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "Active Line Plus", max. 50 Nm |
| **Battery Lock** | ABUS "XPlus" |
| **Bottom bracket** | BOSCH |
| **Chain / belt** | GATES "CDX" |
| **Chain guard** | SKS "Chainblade" |
| **Chain ring / pulley** | Gates "CDX Fin Line", 55 teeth, belt line 50 mm |
| **Charger** | BOSCH 4 A |
| **Crank** | PROWHEEL "EB03", 170 mm |
| **Derailleur hanger** | Slider dropout, suitable for PE, PXA+ |
| **Display** | BOSCH "Kiox 500", 4-stages, Remote Control, push-aid |
| **Engine** | BOSCH "Performance Line PX", max. 85 Nm |
| **Fender** | SKS "A 69 R" |
| **Fork** | Aluminum, tapered 1 1/4" - 1.5" |
| **Frame** | QIO Compact, Bosch Gen. 4, BES3, aluminum, 48 cm |
| **Front brake** | MAGURA "LOUISE" |
| **Front hub** | SHIMANO "HB-TC500," 12 x 100 mm, Center Lock, Thru Axle |
| **Front light** | Busch + Müller "Briq-S E", 60 lux |
| **Front rotor** | MAGURA "MDR-C", Ø 180 mm |
| **Front tire** | SCHWALBE "Pick-up", 60-406, Reflex |
| **Grips** | HERRMANS "Nucore Town", wave |
| **Handlebar** | ergotec "Lady Town", 620 mm, Ø 31.8 mm, 30° backsweep |
| **Headset** | ACROS ZS66/31.75 OD74 / ZS66/46/OD72, blocklock |
| **Pedals** | MARWI "SP-157 HD" Faltpedale |
| **Rear brake** | MAGURA "LOUISE" |
| **Rear carrier** | "MIK HD 2.0" for MIK Side |
| **Rear hub** | ENVIOLO "TR", stepless, 6-hole |

| | |
|---|---|
| **Rear light** | Busch + Müller "Dart E Brex " |
| **Rear rotor** | MAGURA "MDR-C", Ø 180 mm |
| **Rear tire** | SCHWALBE "Pick-up", 60-406, Reflex |
| **Rims** | DT SWISS "U 663", 36 hole, eyeletted, tubeless ready |
| **Saddle** | Selle Royal "On", Moderate Wide |
| **Seatpost** | by,schulz "G.2 ST", Ø 34.9 mm, 400 mm long, 30 mm travel, 12 mm offset |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Spokes** | 2,0 mm, Niro, schwarz |
| **Sprocket / pulley** | Gates "CDX Fin Line", 22 teeth |
| **Stands** | URSUS "Invisible Mount", 20" |
| **Stem** | ergotec "SWELL-RE", 80 mm long, adjustable, level 6 |

## More product images

