

QiO Electric compact bike "Compact PXA+" (#1)

unisex, 20", petrol blue matt, Enviolo TR Automatiq, 48 cm

RRP: €5,299.00

Want to move around freely without compromising on comfort and style? The "Compact PXA+" from QiO makes exactly that possible. With the Bosch mid-drive motor and Smart System, you can ride effortlessly up to 25 km/h—supported by a quiet, low-maintenance belt drive. A special highlight of this compact e-bike is the continuously variable Enviolo “Automatiq” hub gear system. It shifts automatically and adapts entirely on its own to your speed and riding style, ensuring a particularly relaxed riding experience.With a capacity of 800 Wh, the Battery reliably powers you through everyday life and on tours. So you can even enjoy an extra lap after work. The sturdy aluminum frame, with its 20-inch wheels and hydraulic disc brakes, offers you safety and control—in any weather. Fenders are already built in.The “+” in the name stands for a maximum Fahrer weight of 150 kg—ideal for anyone who needs a little more wiggle room. And with a gross vehicle weight rating of 180 kg, your daily life becomes even more flexible—you can carry quite a bit on it. Whether you’re using it as a Porter in the city or traveling with extra luggage—your “Compact PXA+” offers enough flexibility for both.

Basic Data

EAN	4251971178328
MSRP:	€5,299.00
Fedas-Code	159021
DST-Code	1A01
WEEE registration number	DE92509320
SB-Article	No
Bidex-Code	123040
Brand/Supplier	QiO
Unit of measure:	PIECE
Weight	29.4 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	petrol blue matt
Drive	belt
Drive system	BOSCH Performance Line PX
Drive version	middle motor
E-bike	yes
Engine power	250 W

Features	chain guard , electronic sliding aid , fender , system carrier
Frame height	48 cm
Frame shape	unisex
Gears	stepless
Gender	unisex
Main colour	blue
Material	aluminium
Model range	Compact
Permissible system weight	180 kg
Shifting name	Enviolo TR Automatiq
Shifting type	internal gear shifting
Support	up to 25km/h
Type	compact bike
Wheel size	20 "

Specifications

Battery	BOSCH "Active Line Plus", max. 50 Nm
Battery Lock	ABUS "XPlus"
Bottom bracket	BOSCH
Chain / belt	GATES "CDX"
Chain guard	SKS "Chainblade"
Chain ring / pulley	Gates "CDX Fin Line", 55 teeth, belt line 50 mm
Charger	BOSCH 4 A
Crank	PROWHEEL "EB03", 170 mm
Derailleur hanger	Slider dropout, suitable for PE, PXA+
Display	BOSCH "Kiox 500", 4-stages, Remote Control, push-aid
Engine	BOSCH "Performance Line PX", max. 85 Nm
Fender	SKS "A 69 R"
Fork	Aluminum, tapered 1 1/4" - 1.5"
Frame	QIO Compact, Bosch Gen. 4, BES3, aluminum, 48 cm
Front brake	MAGURA "LOUISE"
Front hub	SHIMANO "HB-TC500," 12 x 100 mm, Center Lock, Thru Axle
Front light	Busch + Müller "Briq-S E", 60 lux
Front rotor	MAGURA "MDR-C", Ø 180 mm
Front tire	SCHWALBE "Pick-up", 60-406, Reflex
Grips	HERRMANS "Nucore Town", wave
Handlebar	ergotec "Lady Town", 620 mm, Ø 31.8 mm, 30° backsweep
Headset	ACROS ZS66/31.75 OD74 / ZS66/46/OD72, blocklock
Pedals	MARWI "SP-157 HD" Faltpedale
Rear brake	MAGURA "LOUISE"
Rear carrier	"MIK HD 2.0" for MIK Side
Rear hub	ENVIOLO "TR", stepless, 6-hole

Rear light	Busch + Müller "Dart E Brex "
Rear rotor	MAGURA "MDR-C", Ø 180 mm
Rear tire	SCHWALBE "Pick-up", 60-406, Reflex
Rims	DT SWISS "U 663", 36 hole, eyeletted, tubeless ready
Saddle	Selle Royal "On", Moderate Wide
Seatpost	by,schulz "G.2 ST", Ø 34.9 mm, 400 mm long, 30 mm travel, 12 mm offset
Sensor	Pedal pressure measuring im Motor + speed sensor
Spokes	2,0 mm, Niro, schwarz
Sprocket / pulley	Gates "CDX Fin Line", 22 teeth
Stands	URSUS "Invisible Mount", 20"
Stem	ergotec "SWELL-RE", 80 mm long, adjustable, level 6

More product images

