

QiO Electric cargo bike "Long CLAx" (#1)

unisex, 20", petrol blue matt, Enviolo HD Automatiq, 48 cm

RRP: €5,699.00

The "Long CLAx" from QiO is the top-of-the-line model in the Long series—designed for anyone who wants to combine maximum cargo capacity with the highest level of riding comfort. The combination of an 80-mm Suspension Fork and a suspension seatpost provides noticeable relief on uneven trails and makes riding comfortable even when fully loaded.The Bosch “Cargo Line” engine with Smart System delivers particularly powerful assistance up to 25 km/h—ideal for heavy loads and challenging routes. The continuously variable Enviolo Automatiq hub gear system handles the shifting, so you can focus entirely on the ride and your surroundings. The belt drive is also virtually invisible to you—it runs quietly, requires little maintenance, and is durable.Lighting is provided by the high-quality Busch+Müller “IQ-XS high beam” LED Front Light, which provides excellent illumination of the road with 100 lux low beam and 150 lux high beam—ideal for riding in the dark and in poor visibility conditions.With an 800 Wh battery capacity, 20-inch wheels, and a gross vehicle weight rating of 200 kg, the “Long CLAx” is perfect for families and anyone who wants to get around a lot—comfortably, safely, and in style.

Basic Data

Supplier Article Number:	01724053
EAN	4251971178649
MSRP:	€5,699.00
WEEE registration number	DE92509320
DST-Code	1A41
SB-Article	No
Bidex-Code	125010
Brand/Supplier	QiO
Unit of measure:	PIECE
Weight	40.8 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Colour designation	petrol blue matt
Drive	belt
Drive system	BOSCH Cargo Line
Drive version	middle motor
E-bike	yes
Engine power	250 W

Features	chain guard , electronic sliding aid , fender , suspension fork , system carrier
Frame height	48 cm
Frame shape	unisex
Gears	stepless
Gender	unisex
Main colour	blue
Material	aluminium
Model range	Long
Permissible system weight	200 kg
Shifting name	Enviolo HD Automatiq
Shifting type	internal gear shifting
Support	up to 25km/h
Travel	80 mm
Type	transport bike
Wheel size	20 "

Specifications

Battery	BOSCH "Active Line Plus", max. 50 Nm
Battery Lock	ABUS "XPlus"
Bottom bracket	BOSCH
Chain / belt	GATES "CDX"
Chain guard	SKS "Chainblade"
Chain ring / pulley	Gates "CDX Fin Line", 55 teeth, belt line 50 mm
Charger	BOSCH 4 A
Crank	PROWHEEL "EB03", 170 mm
Derailleur hanger	Slider dropout, suitable for Long CLA, Long P9
Display	BOSCH "Purion 200" Display, 4-stage, Remote Control, Pushing Help
Engine	BOSCH "Performance Line CX", BDU38, max. 100 Nm
Fender	SKS "A 69 R"
Fork	SR SUNTOUR "SF22-Mobie34-CGO-Boost", 80 mm travel, Thru Axle
Frame	QIO Long, Bosch Gen. 4, BES3, aluminum, 48 cm
Front brake	MAGURA "LOUISE"
Front hub	FORMULA "FDC-611", 15 x 110 mm, Steckachse
Front light	Busch + Müller "IQ-XS E Highbeam", 100 Lux
Front rotor	MAGURA "MDR-C", Ø 180 mm
Front tire	SCHWALBE "Pick-up", 60-406, Reflex
Grips	HERRMANS "Nucore Town", wave
Handlebar	satori "Noir", 660 mm, aluminum, Ø 31.8 mm, 30° backsweep
Headset	ACROS ZS66/31.75 OD74 / ZS66/46/OD72, blocklock
Pedals	MARWI "SP-880"
Rear brake	MAGURA "LOUISE"
Rear carrier	"MIK HD 2.0" for MIK Side

Rear hub	enviolo "Heavy Duty", stepless, 6-hole
Rear light	spanninga "HALO+ XEr", stop light
Rear rotor	MAGURA "MDR-C", Ø 180 mm
Rear tire	SCHWALBE "Pick-up", 60-406, Reflex
Rims	RYDE "Andra 29D", 36 holes
Saddle	Selle Royal "On", Moderate Wide
Seatpost	by,schulz "G.2 ST", Ø 34.9 mm, 400 mm long, 30 mm travel, 12 mm offset
Sensor	Pedal pressure measuring im Motor + speed sensor
Spokes	2,3 mm ED, Niro, schwarz
Sprocket / pulley	Gates "CDX Fin Line", 22 teeth
Stands	"Cargo" mit Lock Remote
Stem	ergotec "Sepia Ahead XL", 80 mm long, adjustable, level 5

More product images

