

# QiO Electric cargo bike "Long P9" (#1)

**unisex, 20", forest green, 9-speed SHIMANO "Cues", 48 cm**

## RRP: €3,999.00

The "Long P9" from QiO is your reliable companion for everyday life and family outings—as the entry-level model in the Long series, it offers maximum functionality in a compact design. With 20-inch wheels and an extended Bike Carrier, it’s ideal for transporting groceries or luggage and carrying children or adults. The sturdy aluminum frame construction allows for a maximum total weight of 200 kg.The Bosch Performance Line engine with Smart System provides powerful assistance up to 25 km/h. The 1x9-speed Shimano derailleur ensures precise shifting—especially when fully loaded. The chain drive is efficient and low-maintenance, while hydraulic 4-piston disc brakes guarantee safe and reliable braking in any weather. The Rear Light features a brake light function that also warns cyclists behind you of sudden decelerations.The “Long P9” is perfect for anyone who wants to transport more and carry more. Maybe you’d even like to do without a car altogether. Its compact size and motorized assistance ensure easy handling.

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | 01724111 |
| **EAN** | 4251971178540 |
| **MSRP:** | €3,999.00 |
| **WEEE registration number** | DE92509320 |
| **DST-Code** | 1B41 |
| **SB-Article** | No |
| **Bidex-Code** | 125010 |
| **Brand/Supplier** | QiO |
| **Unit of measure:** | PIECE |
| **Weight** | 37.2 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 545.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Colour designation** | forest green |
| **Drive** | chain |
| **Drive system** | BOSCH Performance Line |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | chain guard , electronic sliding aid , fender , system carrier |

| | |
|---|---|
| **Frame height** | 48 cm |
| **Frame shape** | unisex |
| **Gears** | 9-speed |
| **Gender** | unisex |
| **Main colour** | green |
| **Material** | aluminium |
| **Model range** | Long |
| **Permissible system weight** | 200 kg |
| **Shifting name** | 9-Gang SHIMANO "Cues" |
| **Shifting type** | derailleur shifting |
| **Support** | up to 25km/h |
| **Transmission** | 1x 9-speed |
| **Type** | transport bike |
| **Wheel size** | 20 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH "PowerPack 545", 545 Wh |
| **Battery Lock** | ABUS "XPlus" |
| **Bottom bracket** | BOSCH |
| **Chain / belt** | SHIMANO "CN-LG500" |
| **Chain guard** | SKS "Chainblade" |
| **Chain ring / pulley** | FSA, 42 teeth |
| **Charger** | BOSCH 4 A |
| **Crank** | PROWHEEL "EB03", 170 mm |
| **Derailleur hanger** | Slider dropout, suitable for Long CLA, Long P9 |
| **Display** | BOSCH "Purion 200" Display, 4-stage, Remote Control, Pushing Help |
| **Engine** | BOSCH "Performance Line" engine, max. 75 Nm |
| **Fender** | SKS "A 69 R" |
| **Fork** | Aluminum, tapered 1 1/4" - 1.5" |
| **Frame** | QIO Long, Bosch Gen. 4, BES3, aluminum, 48 cm |
| **Front brake** | MAGURA "LOUISE" |
| **Front hub** | FORMULA "RX-812", 12 x 100 mm, Thru Axle |
| **Front light** | Busch + Müller "Briq-S E", 60 lux |
| **Front rotor** | MAGURA "MDR-C", Ø 180 mm |
| **Front tire** | SCHWALBE "Pick-up", 60-406, Reflex |
| **Grips** | HERRMANS "Nucore Town", wave |
| **Handlebar** | satori "Noir", 660 mm, aluminum, Ø 31.8 mm, 30° backsweep |
| **Headset** | ACROS ZS66/31.75 OD74 / ZS66/46/OD72, blocklock |
| **Pedals** | MARWI "SP-880" |
| **Rear brake** | MAGURA "LOUISE" |
| **Rear carrier** | "MIK HD 2.0" for MIK Side |
| **Rear derailleur** | SHIMANO "CUES RD-U4010" |

| | |
|---|---|
| **Rear hub** | FORMULA "FDC-648", 12 x 148 mm Boost, Thru Axle, 6-hole |
| **Rear light** | spanninga "HALO+ XEr", stop light |
| **Rear rotor** | MAGURA "MDR-C", Ø 180 mm |
| **Rear tire** | SCHWALBE "Pick-up", 60-406, Reflex |
| **Rims** | RYDE "Andra 29D", 36 holes |
| **Saddle** | Selle Royal "On", Moderate Wide |
| **Seatpost** | by,schulz "G.2 ST", Ø 34.9 mm, 400 mm long, 30 mm travel, 12 mm offset |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |
| **Shifting lever** | SHIMANO "Cues SL-U4000" |
| **Spokes** | 2,3 mm ED, Niro, schwarz |
| **Sprocket / pulley** | SHIMANO "CUES CS-LG300", LINKGLIDE, 11-36 teeth |
| **Stands** | "Cargo" mit Lock Remote |
| **Stem** | ergotec "Sepia Ahead XL", 80 mm long, adjustable, level 5 |

## More product images

