

VICTORIA Electric urban bike "UTILYON 3" (#2)

wave, 29", aquamarin blue, ENVIOLO "HD" continuously variable, 52 cm / M

RRP: €5,499.00

Basic Data

Supplier Article Number:	BK26HV5210
EAN	4251971133860
MSRP:	€5,499.00
DST-Code	1A01
WEEE registration number	DE92509320
Fedas-Code	157021
Bidex-Code	123020
SB-Article	No
Brand/Supplier	VICTORIA
Unit of measure:	PIECE
Weight	28.9 kg

Technical Data

Battery capacity	750.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	yes
Colour designation	aquamarin blue
Drive	belt
Drive system	BOSCH Performance Line CX
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	chain guard , electronic sliding aid , fender , XXL frame
Frame height	52 cm

Frame shape	wave
Frame size	M
Gears	stepless
Gender	ladies
Main colour	blue
Material	aluminium
Model range	Utilyon
Permissible system weight	180 kg
Secondary colour	black
Shifting name	ENVIOLO "HD" stufenlos
Shifting type	internal gear shifting
Support	up to 25km/h
Torque	85 Nm
Trailer Approval	no
Type	urban bike
Wheel size	29 "

Specifications

Battery	BOSCH "PowerTube 750", Lithium-Ionen mit BMS, 750 Wh
Bottom bracket	BOSCH
Brake	SHIMANO "BR-MT420"
Brake lever	SHIMANO "BR-MT420"
Chain / belt	GATES "CDX", Belt, 130 Z., 1430 mm
Chain guard	CURANA "Chainguard Belt"
Chain ring / pulley	GATES "CDX", 46 Z.
Charger	BOSCH 4 Ah
Crank	FSA "CK-220", Gen.4, 170mm
Display	BOSCH, "KIOX 500"
Engine	BOSCH "Performance CX", 36 V, 250 W
Fender	CURANA "Apollo", 70 mm, schwarz matt
Fork	Aluminium Unicrown
Frame	Alu 6061, hydrogeformt, zulässiges Gesamtgewicht 180 kg
Frame Lock	CONTEC "Powerloc" XL
Front hub	SHIMANO "HB-MT400-B", 36 L., QR, Disc, Center Lock
Front light	CONTEC "Dlux 120 E+" 120 Lux
Front rotor	SHIMANO "SM-RT54" 180mm
Front tire	Maxxis "Metropass Pro", 61-622, Reflex
Grips	CONTEC "MERGE Trekking Ergo"
Handlebar	ERGOTEC "RISE BAR 50 COMFORT"720mm, Ø31,8 mm, schwarz, Level 6
Pedals	UNION "SP-828", Alu, Antislip
Rear carrier	Massload MIK
Rear hub	ENVIOLO "HD", stufenlos

Rear light	CONTEC „TL-335 E-Stop“, mit Stoplicht
Rear rotor	SHIMANO "SM-RT56" 180mm
Rear tire	Maxxis "Metropass Pro", 61-622, Reflex
Rims	MACH1 "Trucky30"
Saddle	SELLE ROYAL "Lookin HD Stonex", Moderate
Seatpost	ERGOTEC Patent "Hook Evolution", Ø 31,6 mm, 15 mm Setback, Alu, black, Level 6
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	ENVIOLO HD, Drehgriff stufenlos
Spokes	Niro, 2 mm, schwarz
Sprocket / pulley	GATES "CDX", 26 Z.
Stands	URSUS "King2", für Victoria Hinterbau, 40 mm, verstellbar
Stem	ERGOTEC "Swell-R Ahead 70", Ø31,8 mm, 45 °, schwarz 120mm + 5mm Spacer