

CONWAY Electric SUV "Cairon C 1.0 B 800" (#1)

wave, 27", burgundy matt, 8-speed SHIMANO "Nexus", 53 cm / XL

RRP: €3,799.95

Basic Data

EAN	4251971181359
MSRP:	€3,799.95
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	28.5 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	yes
Colour designation	burgundy matt
Drive	belt
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	electronic sliding aid , fender , suspension fork
Frame height	53 cm
Frame shape	wave

Frame size	XL
Gears	8-speed
Gender	ladies
Main colour	red
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Shifting name	8-Gang SHIMANO "Nexus"
Shifting type	internal gear shifting
Support	up to 25km/h
Trailer Approval	yes
Transmission	1x 8-speed
Travel	120 mm
Type	SUV
Wheel size	27 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M280"
Brake lever	TEKTRO "HD-M280"
Chain / belt	GATES "CDC Centertrack Belt", 120 Z.
Chain ring / pulley	GATES "CDC w Guard", 46 Z.
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", Q12, 165mm
Derailleur hanger	0347028/3
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor "Performance", 36 V, 250 W
Fender	CURANA "Apollo 75"
Fork	SUNTOUR "XCM32 LOR", Boost, 120 mm
Frame	CONWAY Intube Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front light	HERRMANS "MR5"
Front rotor	TEKTRO "TR180-35", 180 mm
Front tire	SCHWALBE "Smart Sam", 60-584
Grips	CONTEC "Tour Wing"
Handlebar	SATORI
Headset	ACROS "ZS56-ZS56", Blocklock
Pedals	VP "VPE-527"
Rear carrier	MASSLOAD "MIK HD", inkl. Federklappe
Rear derailleur	SHIMANO "Nexus SG-C6001-8D", 8-speed
Rear hub	SHIMANO "Nexus SG-C6001-8D"

Rear light	AXA "Juno E-Bike", Brake Light
Rear rotor	TEKTRO "TR180-35", 180 mm
Rear tire	SCHWALBE "Smart Sam", 60-584
Remote	BOSCH "Purion 200"
Rims	CONWAY "TRYP 30"
Saddle	SELLE ROYAL "Vivo Moderat Ergo"
Seatpost	JD "Two Piece Alloy", 31,6 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C6001-8"
Spokes	Niro
Sprocket / pulley	GATES "CDC Centertrack", 22 Z.
Stands	URSUS "MOOI Plus", 40 mm
Stem	SATORI "Hatchback adjustable", 110mm