

CONWAY Electric SUV "Cairon C 1.0 B 800" (#1)

wave, 27", black / gold, 8-speed SHIMANO "Nexus", 53 cm / XL

RRP: €3,799.95

Basic Data

EAN	4251971181397
MSRP:	€3,799.95
WEEE registration number	DE92509320
DST-Code	1B01
SB-Article	No
Bidex-Code	122010
Fedas-Code	155021
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	28.5 kg

Technical Data

Battery capacity	800.0 Wh
Bosch Smart System	yes
Brake system	hydraulic disc brake
Child Seat Approval	yes
Colour designation	black / gold
Drive	belt
Drive system	BOSCH Performance Line
Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	electronic sliding aid , fender , suspension fork
Frame height	53 cm
Frame shape	wave

Frame size	XL
Gears	8-speed
Gender	ladies
Main colour	black
Material	aluminium
Model range	Cairon
Permissible system weight	140 kg
Secondary colour	gold
Shifting name	8-Gang SHIMANO "Nexus"
Shifting type	internal gear shifting
Support	up to 25km/h
Trailer Approval	yes
Transmission	1x 8-speed
Travel	120 mm
Type	SUV
Wheel size	27 "

Specifications

Battery	BOSCH "Powertube 800", Lithium-Ionen mit BMS, HOR w. SOP Pivot
Bottom bracket	BOSCH
Brake	TEKTRO "HD-M280"
Brake lever	TEKTRO "HD-M280"
Chain / belt	GATES "CDC Centertrack Belt", 120 Z.
Chain ring / pulley	GATES "CDC w Guard", 46 Z.
Charger	Bosch 2 A, BES3
Crank	MIRANDA "Virage", Q12, 165mm
Derailleur hanger	0347028/3
Display	BOSCH "Purion 200"
Engine	BOSCH Mittelmotor "Performance", 36 V, 250 W
Fender	CURANA "Apollo 75"
Fork	SUNTOUR "XCM32 LOR", Boost, 120 mm
Frame	CONWAY Intube Bosch, Alu
Front hub	SHIMANO "HB-TC500", 15 x 110 mm
Front light	HERRMANS "MR5"
Front rotor	TEKTRO "TR180-35", 180 mm
Front tire	SCHWALBE "Smart Sam", 60-584
Grips	CONTEC "Tour Wing"
Handlebar	SATORI
Headset	ACROS "ZS56-ZS56", Blocklock
Pedals	VP "VPE-527"
Rear carrier	MASSLOAD "MIK HD", inkl. Federklappe
Rear derailleur	SHIMANO "Nexus SG-C6001-8D", 8-speed

Rear hub	SHIMANO "Nexus SG-C6001-8D"
Rear light	AXA "Juno E-Bike", Brake Light
Rear rotor	TEKTRO "TR180-35", 180 mm
Rear tire	SCHWALBE "Smart Sam", 60-584
Remote	BOSCH "Purion 200"
Rims	CONWAY "TRYP 30"
Saddle	SELLE ROYAL "Vivo Moderat Ergo"
Seatpost	JD "Two Piece Alloy", 31,6 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "Nexus SL-C6001-8"
Spokes	Niro
Sprocket / pulley	GATES "CDC Centertrack", 22 Z.
Stands	URSUS "MOOI Plus", 40 mm
Stem	SATORI "Hatchback adjustable", 110mm