

CONWAY Electric MTB hardtail "Cairon S 1.0" (#1)

trapeze, 27,5", ivory matt / black matt, 9-speed SHIMANO "Cues", 41 cm / S

RRP: €2,699.95

With the Cairon S 1.0, you'll get off to a powerful, comfortable, and safe start in e-mobility. The balanced geometry ensures stable handling and an upright riding position—ideal for relaxed rides on forest trails, gravel roads, or around town.The combination of 29" wheels (depending on frame size) and 120 mm of travel on the RST fork ensures you can confidently roll over obstacles. The Bosch Performance CX Gen. 4 engine provides reliable assistance, complemented by an integrated 625 Wh Battery and the smart Bosch Kiox 300 Display for full control on the go.The Shimano 9-speed derailleur ensures precise shifting, while hydraulic disc brakes with a 180 mm diameter guarantee safe braking performance at all times. Sturdy SCHWALBE Tough Tom tires provide grip and stability on any surface.Thanks to its high-quality aluminum frame and well-thought-out features, the Cairon S 1.0 is a reliable companion—whether for your daily commute, spontaneous outings, or sporty weekend rides.

Basic Data

EAN	4251971183858
MSRP:	€2,699.95
WEEE registration number	DE92509320
Fedas-Code	154020
Bidex-Code	121010
DST-Code	1E01
SB-Article	No
Brand/Supplier	CONWAY
Unit of measure:	PIECE
Weight	24.9 kg

Technical Data

Battery capacity	625.0 Wh
Brake system	hydraulic disc brake
Category E-bike	3
Child Seat Approval	no
Colour designation	ivory matt / black matt
Drive	chain
Drive system	BOSCH Performance Line CX

Drive version	middle motor
E-bike	yes
Engine power	250 W
Features	electronic sliding aid , suspension fork
Frame height	41 cm
Frame shape	trapeze
Frame size	S
Gears	9-speed
Gender	ladies
Main colour	red
Material	aluminium
Model range	Cairon
Permissible system weight	130 kg
Secondary colour	black
Shifting name	9-Gang SHIMANO "Cues"
Shifting type	derailleur shifting
Support	up to 25km/h
Trailer Approval	no
Transmission	1x 9-speed
Travel	120 mm
Type	hardtail
Wheel size	27,5 "

Specifications

Battery	BOSCH "Powertube 625", Lithium-Ionen mit BMS, 625 Wh, horizontal
Brake	SHIMANO "BR-MT201"
Brake lever	SHIMANO "BL-MT201"
Chain / belt	SHIMANO "CN-LG500"
Chain ring / pulley	MIRANDA "Gen4", 36 Z., w CG
Charger	Bosch 4 A, BES3
Crank	MIRANDA "Classic Gen4", 165 mm
Derailleur hanger	02811750
Display	BOSCH "Kiox 300"
Engine	BOSCH Mittelmotor Gen.4 "Performance CX", 36 V, 250 W
Fork	RST "Blaze ML", 120 mm
Frame	CONWAY Intube Bosch, Alu
Front hub	SHIMANO "HB-TX505" QR
Front rotor	SHIMANO "SM-RT30", 180 mm
Front tire	CONTINENTAL "Ruban", 54-584
Grips	CONWAY "Sport"
Handlebar	CONWAY "Riser", 31,8, 720 mm
Headset	ZS56 / ZS56, Blocklock

Pedals	VP "VPE-506"
Rear derailleur	SHIMANO "Cues RD-U4000", 9-speed
Rear hub	SHIMANO "FH-TX505" QR
Rear rotor	SHIMANO "SM-RT30", 180 mm
Rear tire	CONTINENTAL "Ruban", 54-584
Remote	BOSCH "Mini Remote"
Rims	RODI "Blackrock"
Saddle	SELLE ROYAL "Athletic Ergo", Da
Seatpost	CONWAY Patent, 31,6 mm, 350 mm
Sensor	Pedal pressure measuring im Motor + speed sensor
Shifting lever	SHIMANO "CUES SL-U4000-9R"
Spokes	MACH 1
Sprocket / pulley	SHIMANO "CS-LG300-9", 11-46 Z.
Stem	CONWAY, 31,8 mm, 75 mm
System Interface	Bosch "System Controller"

More product images







