

# pfautec Electric shopping bike "Movi CX" (#1)

**unisex, 16 / 20", azzurroblau matt, ENVIOLO "TR," continuously variable**

## RRP: €7,299.00

### Basic Data

| | |
|---|---|
| **Supplier Article Number:** | 25-SCT-04-0005 |
| **EAN** | 4250632719603 |
| **MSRP:** | €7,299.00 |
| **DST-Code** | 1Z03 |
| **Fedas-Code** | 159010 |
| **SB-Article** | No |
| **Bidex-Code** | 129090 |
| **Brand/Supplier** | pfautec |
| **Unit of measure:** | PIECE |
| **Weight** | 57 kg |

### Technical Data

| | |
|---|---|
| **Battery capacity** | 400.0 Wh |
| **Bosch Smart System** | yes |
| **Brake system** | hydraulic disc brake |
| **Colour designation** | azzurroblau matt |
| **Drive** | belt |
| **Drive system** | BOSCH Performance Line CX |
| **Drive version** | middle motor |
| **E-bike** | yes |
| **Engine power** | 250 W |
| **Features** | bike basket , damper , electronic sliding aid , fender , frame lock |
| **Frame shape** | unisex |
| **Gears** | stepless |
| **Gender** | unisex |
| **Main colour** | blue |

| | |
|---|---|
| **Material** | steel |
| **Model range** | Movi |
| **Permissible system weight** | 177 kg |
| **Shifting name** | ENVIOLO "TR", stufenlos |
| **Shifting type** | internal gear shifting |
| **Support** | up to 20km/h |
| **Torque** | 85 Nm |
| **Type** | rear tricycle |
| **Wheel size** | 16 / 20 " |

## Specifications

| | |
|---|---|
| **Battery** | BOSCH Lithium-Ionen with BMS, 36 V, 11,11 Ah, 400 Wh |
| **Bottom bracket** | BOSCH |
| **Brake** | TEKTRO Disc "Auriga" x 3 |
| **Brake lever** | TEKTRO "Auriga Twin +", mit Feststellfunktion |
| **Chain / belt** | GATES "CDX" 168T, schwarz |
| **Chain ring / pulley** | 46 Z. |
| **Charger** | 4 Ah |
| **Crank** | MIRANDA, Alu, 155 mm |
| **Damper** | SR SUNTOUR "RS25" Raidon Luftdämpfer |
| **Display** | BOSCH "Purion 200", Schiebehilfe |
| **Engine** | BOSCH Mittelmotor "Peformance-Line CX", 36 V, 250 W, mit Cargoline Software |
| **Fender** | SKS, Kunststoff |
| **Fork** | Unicrown, 16", verstärkt |
| **Frame** | Stahl |
| **Frame Lock** | ABUS "Shield 5650L", gleichschließend |
| **Front hub** | Alu, Disc, gedichtet |
| **Front light** | B&M "Upp", LED, 12V |
| **Front rotor** | TEKTRO 160mm |
| **Front tire** | SCHWALBE "PickUp", 55-305, Reflex |
| **Grips** | WESTPHAL "Wlo" |
| **Handlebar** | ERGOTEC "Ladytown custom", 580mm, schwarz |
| **Headset** | ERGOTEC" A118SAC" 1 1/8", Ahead, Schwarz |
| **Pedals** | MARWI "SP-890", Alu, rutschfest |
| **Rear carrier** | RACKTIME "Bask-it Willow" |
| **Rear hub** | ENVIOLO "TR", stufenlos |
| **Rear light** | B&M "Toplight" Standlicht, 6-12V |
| **Rear rotor** | TEKTRO 160mm |
| **Rear tire** | SCHWALBE "PickUp", 55-406, Reflex |
| **Rims** | REMERX "Dragon L-719", Hohlkammer |
| **Saddle** | Komfortsitz, gefedert |
| **Sensor** | Pedal pressure measuring im Motor + speed sensor |

| | |
|---|---|
| **Shifting lever** | ENVIOLO "Twist Pure", 2500mm |
| **Spokes** | 2,0 mm, Niro |
| **Sprocket / pulley** | GATES "CDX" 22T, Fine Line, Enviolo |
| **Stem** | ERGOTEC "Octopus 2", Ø 25,4 mm, verstellbar, SPEEDLIFTER "T15", 150 mm Auszug |

## More product images



